

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992)	AND YEAR	ALL RACES		WHITE		TOTAL		ALL OTHER		BLACK	
		BOTH	SEXES	BOTH	SEXES	MALE	FEMALE	BOTH	SEXES	MALE	FEMALE
Shigellosis (A03)											
2001.....	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*
Other bacterial food-borne intoxications (A05)											
2001.....	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*
Amebiasis (A06)											
2001.....	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*
Intestinal infections due to other specified organisms (A04,A07-A08)											
2001.....	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.3	0.4	0.4
2000 1/.....	0.5	0.5	0.4	0.5	0.5	0.5	0.3	0.3	0.3	0.4	0.3
1999 1/.....	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.3	0.3
Diarrhea and gastroenteritis of infectious origin (A09)											
2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
Tuberculosis (A16-A19)											
2001.....	0.3	0.4	0.2	0.2	0.2	0.1	0.8	1.3	0.6	0.8	1.2
2000 1/.....	0.3	0.4	0.2	0.2	0.2	0.1	1.0	1.5	0.6	0.9	1.5
1999 1/.....	0.3	0.5	0.2	0.2	0.3	0.1	1.1	1.7	0.7	0.9	1.5
Respiratory tuberculosis (A16)											
2001.....	0.2	0.3	0.1	0.1	0.2	0.1	0.7	1.0	0.4	0.6	1.0
2000 1/.....	0.2	0.3	0.1	0.1	0.2	0.1	0.8	1.2	0.4	0.7	1.3
1999 1/.....	0.3	0.4	0.2	0.2	0.3	0.1	0.9	1.4	0.5	0.8	1.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON

THE TENTH REVISION

INTERNATIONAL CLASSIFICATION

OF DISEASES, 1992

AND YEAR

Neurosyphilis (A52.1-A52.3)

2001.....* * * * * * * * * * * * * * * *
 2000 1/.....0.0 * * * * * * * * * * * * * * * *
 1999 1/.....* * * * * * * * * * * * * * * *

Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)

2001.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 2000 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 1999 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Gonococcal infection (A54)

2001.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 2000 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 1999 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Other infections with a predominately sexual mode of transmission (A55-A64)

Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)

Lyme disease (A69.2)

2001.....* * * * * * * * * * * * * * * *
2000 1/.....* * * * * * * * * * * * * * * *
1999 1/.....* * * * * * * * * * * * * * * *

Typhus fever (A75)

2001.....* * * * * * * * * * * * * * *
2000 1/.....* * * * * * * * * * * * * * *
1999 1/.....* * * * * * * * * * * * * * *

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON

THE TENTH REVISION

INTERNATIONAL CLASSIFICATION

OF DISEASES, 1992

AND Y

All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)

2001.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 2000 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 1999 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Viral diseases (A80-B34)

2001.....	7.4	10.6	4.2	4.9	7.4	2.5	19.2	27.3	12.1	25.9	37.5	15.9
2000 1/.....	7.5	11.0	4.3	5.0	7.5	2.6	19.8	28.9	11.9	26.5	39.3	15.6
1999 1/.....	7.6	11.1	4.2	5.1	7.7	2.6	20.1	29.7	11.8	26.7	40.1	15.4

Acute poliomyelitis (A80)

2001.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 2000 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
 1999 1/.....★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Rabies (A82)

2001.....* * * * * * * * * * * * * * *
 2000 1/.....* * * * * * * * * * * * * * *
 1999 1/.....* * * * * * * * * * * * * * *

Arthropod-borne viral encephalitis (A83-A84,A85.2)

2001.....* * * * * * * * * * * * * * *
2000 1/.....* * * * * * * * * * * * * * *
1999 1/.....* * * * * * * * * * * * * * *

Yellow fever (A95)

Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)

2001.....* * * * * * * * * * * * * *
2000 1/.....* * * * * * * * * * * * * *
1999 1/.....* * * * * * * * * * * * * *

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE

Herpesviral (herpes simplex) infections (B00)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*	*	0.0	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*

Zoster (herpes zoster) (B02)

2001.....	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*	*	*	*

Smallpox (B03)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Measles (B05)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Rubella (German measles) (B06)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Viral hepatitis (B15-B19)

2001.....	2.0	2.6	1.3	1.8	2.5	1.2	2.7	3.2	2.2	2.7	3.4	2.1
2000 1/.....	1.9	2.6	1.3	1.8	2.4	1.2	2.8	3.7	2.0	2.7	3.8	1.8
1999 1/.....	1.8	2.4	1.2	1.6	2.2	1.1	2.6	3.4	2.0	2.6	3.4	1.9

Human immunodeficiency virus (HIV) disease (B20-B24)

2001.....	5.0	7.5	2.5	2.6	4.4	0.9	16.1	23.7	9.5	22.8	33.8	13.4
2000 1/.....	5.2	7.9	2.5	2.8	4.6	1.0	16.5	24.7	9.4	23.3	35.1	13.2
1999 1/.....	5.3	8.2	2.5	2.9	4.9	1.0	17.0	25.7	9.4	23.6	36.1	13.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)

2001.....	1.9	2.9	1.0	1.1	1.8	0.4	6.1	8.9	3.6	8.6	12.6	5.1
2000 1/.....	2.0	3.1	1.0	1.1	1.8	0.4	6.4	9.5	3.7	9.0	13.4	5.2
1999 1/.....	2.1	3.3	1.1	1.2	1.9	0.4	6.7	10.1	3.7	9.3	14.1	5.2

Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)

2001.....	0.3	0.6	0.1	0.2	0.4	0.1	0.9	1.4	0.4	1.2	2.0	0.6
2000 1/.....	0.4	0.6	0.1	0.3	0.5	0.0	0.9	1.5	0.4	1.3	2.1	0.5
1999 1/.....	0.4	0.7	0.1	0.3	0.5	0.1	0.9	1.6	0.4	1.3	2.2	0.5

Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)

2001.....	0.5	0.8	0.2	0.3	0.5	0.1	1.5	2.2	0.8	2.1	3.1	1.2
2000 1/.....	0.6	0.9	0.2	0.3	0.6	0.1	1.6	2.6	0.9	2.3	3.6	1.2
1999 1/.....	0.6	0.9	0.2	0.4	0.6	0.1	1.6	2.6	0.8	2.3	3.6	1.2

Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)

2001.....	1.2	1.8	0.7	0.6	0.9	0.2	4.4	6.4	2.7	6.2	9.1	3.8
2000 1/.....	1.2	1.8	0.7	0.6	0.9	0.2	4.3	6.3	2.6	6.0	8.9	3.7
1999 1/.....	1.2	1.8	0.7	0.6	0.9	0.2	4.6	6.8	2.6	6.4	9.5	3.7

Unspecified human immunodeficiency virus (HIV) disease (B24)

2001.....	1.0	1.5	0.5	0.5	0.8	0.1	3.3	4.9	2.0	4.7	7.0	2.8
2000 1/.....	1.0	1.5	0.5	0.5	0.8	0.2	3.3	4.9	1.8	4.7	7.1	2.6
1999 1/.....	1.0	1.5	0.5	0.5	0.9	0.2	3.1	4.7	1.8	4.4	6.6	2.5

All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,A86-A89,B01,B04,B07-B09,B25-B34)

2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3
2000 1/.....	0.4	0.4	0.3	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.4
1999 1/.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.4

Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)

2001.....	1.1	1.3	0.9	1.0	1.2	0.8	1.5	1.9	1.3	1.7	2.1	1.4
2000 1/.....	1.1	1.3	0.8	1.0	1.2	0.8	1.5	2.0	1.1	1.7	2.2	1.3
1999 1/.....	1.5	1.8	1.2	1.3	1.6	1.1	2.5	2.9	2.2	2.9	3.3	2.6

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												
Helminthiases (B65-B83)															

Helminthiases (B65-B83)

2001.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Schistosomiasis (bilharziasis) (B65)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Other and unspecified helminthiases (B66-B83)

2001.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Sequelae of tuberculosis (B90)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*	*	*	*	*
2000 1/.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.2	*	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*

Sequelae of poliomyelitis (B91)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*

All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89, B92-B99)

2001.....	0.4	0.5	0.4	0.4	0.5	0.3	0.5	0.6	0.4	0.6	0.6	0.6	0.5
2000 1/.....	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.6	0.4	0.5	0.5	0.7	0.4
1999 1/.....	0.5	0.6	0.5	0.4	0.5	0.4	1.0	1.1	0.9	1.2	1.4	1.1	

II. Neoplasms (C00-D48)

2001.....	200.9	249.8	168.8	198.8	245.4	168.1	212.9	281.0	170.7	247.8	336.5	195.5
2000 1/.....	204.5	255.0	171.8	202.2	250.1	171.2	218.3	290.5	173.2	253.1	345.7	197.9
1999 1/.....	205.6	258.0	171.7	202.9	252.7	170.5	222.8	296.8	177.0	257.3	351.4	201.3

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Malignant neoplasms (C00-C97)

2001.....	196.0	243.7	164.7	193.9	239.2	163.9	208.7	276.1	167.0	243.1	330.9	191.3
2000 1/.....	199.6	248.9	167.6	197.2	243.9	166.9	214.1	285.6	169.6	248.5	340.3	193.8
1999 1/.....	200.8	251.9	167.6	197.9	246.5	166.4	218.6	292.0	173.1	252.5	346.1	196.9

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

2001.....	2.7	4.1	1.6	2.6	3.9	1.5	3.4	5.8	1.7	3.9	6.7	1.8
2000 1/.....	2.7	4.1	1.6	2.5	3.7	1.6	3.7	6.2	1.7	4.1	7.3	1.8
1999 1/.....	2.7	4.1	1.6	2.5	3.8	1.5	3.8	6.3	1.9	4.3	7.5	2.1

Of lip (C00)

2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

Of tongue (C01-C02)

2001.....	0.6	0.9	0.4	0.6	0.9	0.4	0.6	1.0	0.3	0.7	1.2	0.3
2000 1/.....	0.6	0.9	0.4	0.6	0.9	0.4	0.6	1.1	0.3	0.8	1.4	0.3
1999 1/.....	0.6	0.9	0.4	0.6	0.9	0.4	0.7	1.1	0.4	0.8	1.4	0.4

Of pharynx (C10-C13,C14.0)

2001.....	1.1	1.8	0.6	1.0	1.6	0.5	1.8	3.3	0.8	2.0	3.6	0.9
2000 1/.....	1.1	1.8	0.6	1.0	1.5	0.5	2.0	3.6	0.8	2.2	4.1	0.9
1999 1/.....	1.1	1.8	0.6	1.0	1.6	0.5	2.0	3.5	0.9	2.3	4.0	1.0

Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)

2001.....	0.9	1.3	0.6	0.9	1.3	0.6	0.9	1.5	0.5	1.2	1.9	0.6
2000 1/.....	0.9	1.3	0.6	0.9	1.3	0.6	1.0	1.6	0.5	1.1	1.9	0.5
1999 1/.....	0.9	1.3	0.6	0.9	1.3	0.6	1.0	1.7	0.6	1.2	2.0	0.7

Malignant neoplasms of digestive organs (C15-C26)

2001.....	46.4	59.4	36.5	44.6	57.2	34.9	58.2	74.1	46.9	64.8	83.3	52.1
2000 1/.....	47.2	60.5	37.2	45.3	58.1	35.6	59.9	77.2	47.7	66.2	86.2	52.5
1999 1/.....	47.3	60.7	37.3	45.4	58.4	35.7	60.3	77.6	48.1	66.7	87.1	52.7

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Of esophagus (C15)												
2001.....	4.4	7.8	1.8	4.3	7.6	1.7	5.2	9.0	2.4	6.4	11.3	3.0
2000 1/.....	4.4	7.7	1.8	4.3	7.6	1.7	5.2	8.6	2.7	6.5	11.0	3.3
1999 1/.....	4.4	7.7	1.8	4.2	7.4	1.6	5.3	9.4	2.5	6.5	11.5	3.1
Of stomach (C16)												
2001.....	4.4	6.1	3.1	3.8	5.4	2.7	8.2	11.5	5.9	8.3	11.9	5.8
2000 1/.....	4.6	6.4	3.3	4.0	5.6	2.8	8.9	12.3	6.5	9.0	12.7	6.5
1999 1/.....	4.6	6.6	3.3	4.1	5.8	2.8	9.0	12.9	6.5	9.2	13.5	6.4
Of small intestine (C17)												
2001.....	0.4	0.5	0.3	0.4	0.4	0.3	0.5	0.7	0.4	0.6	0.8	0.5
2000 1/.....	0.4	0.5	0.3	0.4	0.4	0.3	0.5	0.6	0.4	0.5	0.6	0.4
1999 1/.....	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.6	0.4	0.6	0.8	0.4
Of colon, rectum and anus (C18-C21)												
2001.....	20.1	24.2	17.2	19.6	23.7	16.6	23.5	27.8	20.7	27.6	33.1	24.1
2000 1/.....	20.8	25.1	17.7	20.3	24.5	17.2	24.1	29.5	20.5	28.2	34.9	24.0
1999 1/.....	20.9	25.3	17.8	20.4	24.8	17.3	24.2	28.7	21.3	28.4	34.2	24.7
Colon (C18)												
2001.....	16.9	20.1	14.7	16.4	19.6	14.1	20.3	23.7	18.2	24.0	28.4	21.3
2000 1/.....	17.6	21.0	15.1	17.1	20.4	14.7	20.8	25.1	18.0	24.6	29.9	21.3
1999 1/.....	17.7	21.2	15.3	17.3	20.8	14.7	20.9	24.3	18.8	24.8	29.2	22.0
Rectosigmoid junction and rectum (C19-C20)												
2001.....	3.0	4.0	2.3	3.0	4.0	2.3	3.0	4.0	2.4	3.4	4.5	2.7
2000 1/.....	3.0	4.0	2.3	3.0	3.9	2.3	3.1	4.2	2.3	3.4	4.7	2.5
1999 1/.....	3.0	3.9	2.3	3.0	3.9	2.4	3.1	4.3	2.3	3.4	4.8	2.5
Anus and anal canal (C21)												
2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	*	0.2
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1999 1/.....	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Of liver and intrahepatic bile ducts (C22)												
2001.....	4.7	6.9	3.0	4.3	6.3	2.7	7.1	10.6	4.6	6.2	9.1	4.1
2000 1/.....	4.7	6.8	3.0	4.2	6.2	2.7	7.3	11.1	4.4	6.1	9.5	3.6
1999 1/.....	4.5	6.5	3.0	4.2	5.9	2.7	6.9	10.0	4.4	5.9	8.7	3.8
Liver (C22.0,C22.2-C22.9)												
2001.....	3.7	5.7	2.1	3.3	5.2	1.9	6.0	9.2	3.6	5.3	8.0	3.3
2000 1/.....	3.7	5.7	2.1	3.3	5.0	1.9	6.3	10.0	3.5	5.3	8.6	2.8
1999 1/.....	3.6	5.4	2.1	3.2	4.9	1.9	6.0	9.0	3.6	5.1	7.9	3.1
Intrahepatic bile duct carcinoma (C22.1)												
2001.....	1.0	1.2	0.9	1.0	1.2	0.9	1.1	1.4	0.9	0.9	1.1	0.8
2000 1/.....	1.0	1.1	0.9	1.0	1.2	0.9	1.0	1.1	0.9	0.8	0.9	0.8
1999 1/.....	0.9	1.0	0.9	0.9	1.1	0.9	0.9	1.0	0.8	0.8	0.8	0.7
Of gallbladder and extrahepatic bile ducts (C23-C24)												
2001.....	1.3	1.2	1.4	1.3	1.1	1.4	1.4	1.3	1.5	1.3	1.2	1.5
2000 1/.....	1.3	1.2	1.4	1.3	1.2	1.4	1.3	1.1	1.4	1.2	1.0	1.4
1999 1/.....	1.3	1.2	1.4	1.3	1.2	1.4	1.4	1.1	1.5	1.3	1.0	1.4
Of pancreas (C25)												
2001.....	10.5	12.1	9.3	10.4	12.0	9.1	11.7	12.6	10.9	13.6	15.0	12.5
2000 1/.....	10.6	12.2	9.3	10.4	12.0	9.0	12.2	13.4	11.2	14.1	15.8	12.7
1999 1/.....	10.6	12.3	9.3	10.4	12.0	9.1	12.3	14.0	11.0	14.1	16.4	12.3
Of other and ill-defined digestive organs (C26)												
2001.....	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6	0.7	0.8	0.6
2000 1/.....	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.6	0.6	0.7	0.7	0.6
1999 1/.....	0.6	0.7	0.5	0.6	0.7	0.5	0.6	0.8	0.4	0.7	0.9	0.5
Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)												
2001.....	57.0	78.1	41.8	57.1	76.9	42.8	55.2	85.6	34.7	65.4	104.7	39.9
2000 1/.....	57.8	79.7	42.1	57.8	78.4	43.0	56.6	88.1	35.3	67.2	107.1	41.1
1999 1/.....	57.2	79.8	41.1	57.0	78.4	41.8	57.5	89.7	35.7	67.7	108.5	41.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Of nasal cavity, middle ear and accessory sinuses (C30-C31)

2001.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	*
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.1
1999 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	*	0.2	0.2	*

Of larynx (C32)

2001.....	1.3	2.5	0.5	1.2	2.3	0.5	2.0	3.9	0.7	2.5	5.0	0.9
2000 1/.....	1.4	2.5	0.5	1.3	2.3	0.5	2.2	4.1	0.7	2.8	5.5	0.9
1999 1/.....	1.4	2.5	0.5	1.3	2.3	0.5	2.0	4.0	0.7	2.6	5.1	0.8

Of trachea, bronchus and lung (C33-C34)

2001.....	55.3	75.2	41.0	55.6	74.2	42.1	52.8	81.1	33.8	62.5	99.1	38.7
2000 1/.....	56.1	76.7	41.3	56.2	75.7	42.3	54.1	83.6	34.2	64.0	101.1	39.8
1999 1/.....	55.5	76.9	40.2	55.4	75.6	41.0	55.1	85.2	34.8	64.8	103.0	39.9

Of thymus, heart, mediastinum and pleura (C37-C38)

2001.....	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2
1999 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2

Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)

2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

Malignant neoplasms of bone and articular cartilage (C40-C41)

2001.....	0.5	0.6	0.4	0.5	0.6	0.3	0.4	0.5	0.4	0.5	0.6	0.4
2000 1/.....	0.4	0.6	0.3	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	0.3
1999 1/.....	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.3	0.4	0.5	0.3

Melanoma and other malignant neoplasms of skin (C43-C44)

2001.....	3.5	5.3	2.2	3.9	5.9	2.5	0.9	1.3	0.6	1.0	1.4	0.7
2000 1/.....	3.5	5.2	2.2	3.8	5.8	2.5	1.0	1.3	0.8	1.1	1.5	0.8
1999 1/.....	3.5	5.2	2.2	3.9	5.8	2.5	0.9	1.4	0.5	0.9	1.6	0.6

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Malignant melanoma of skin (C43)												
2001.....	2.7	3.9	1.8	3.0	4.3	2.0	0.4	0.4	0.4	0.4	0.3	0.4
2000 1/.....	2.7	3.8	1.8	3.0	4.3	2.0	0.5	0.6	0.5	0.6	0.6	0.5
1999 1/.....	2.6	3.8	1.7	3.0	4.2	2.0	0.4	0.5	0.3	0.4	0.5	0.3
Other malignant neoplasms of skin (C44)												
2001.....	0.9	1.4	0.5	0.9	1.5	0.5	0.5	0.9	0.2	0.6	1.0	0.2
2000 1/.....	0.8	1.4	0.4	0.9	1.5	0.4	0.5	0.8	0.3	0.6	0.9	0.3
1999 1/.....	0.8	1.4	0.4	0.9	1.5	0.4	0.5	0.8	0.2	0.5	1.0	0.2
Malignant neoplasms of mesothelial and soft tissue (C45-C49)												
2001.....	2.4	3.2	1.8	2.5	3.4	1.8	1.7	2.0	1.5	1.9	2.2	1.7
2000 1/.....	2.5	3.3	1.8	2.5	3.5	1.9	1.8	2.2	1.6	2.1	2.6	1.9
1999 1/.....	2.4	3.3	1.8	2.5	3.4	1.8	1.9	2.3	1.7	2.2	2.6	1.9
Mesothelioma (C45)												
2001.....	0.8	1.6	0.3	0.9	1.8	0.3	0.2	0.5	*	0.2	0.5	*
2000 1/.....	0.9	1.7	0.3	0.9	1.8	0.3	0.4	0.7	0.1	0.4	0.8	0.1
1999 1/.....	0.9	1.6	0.3	0.9	1.8	0.3	0.4	0.7	0.2	0.4	0.8	0.2
Kaposi's sarcoma (C46)												
2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	0.0	0.1	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
Of other mesothelial and soft tissue (C47-C49)												
2001.....	1.5	1.5	1.5	1.5	1.6	1.5	1.4	1.5	1.4	1.6	1.7	1.6
2000 1/.....	1.6	1.6	1.5	1.6	1.7	1.6	1.4	1.4	1.4	1.6	1.6	1.7
1999 1/.....	1.6	1.6	1.5	1.5	1.6	1.5	1.6	1.5	1.5	1.7	1.8	1.7
Malignant neoplasm of breast (C50)												
2001.....	14.8	0.3	26.0	14.4	0.3	25.5	16.7	0.5	28.5	20.4	0.6	34.4
2000 1/.....	15.3	0.4	26.8	14.9	0.4	26.3	16.8	0.5	28.7	20.5	0.6	34.5
1999 1/.....	15.2	0.3	26.6	14.8	0.3	26.0	17.2	0.5	29.3	20.8	0.7	35.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												
Malignant neoplasms of female genital organs (C51-C58)															
2001.....	9.5	...	16.8	9.4	...	16.6	10.4	...	17.7	12.1	...	20.4			
2000 1/.....	9.5	...	16.8	9.3	...	16.6	10.6	...	18.1	12.5	...	20.8			
1999 1/.....	9.4	...	16.7	9.3	...	16.5	10.5	...	17.8	12.3	...	20.6			
Of vulva and vagina (C51-C52)															
2001.....	0.4	...	0.7	0.4	...	0.7	0.4	...	0.7	0.5	...	0.8			
2000 1/.....	0.4	...	0.7	0.4	...	0.7	0.3	...	0.6	0.4	...	0.7			
1999 1/.....	0.4	...	0.7	0.4	...	0.7	0.4	...	0.6	0.4	...	0.7			
Of cervix uteri (C53)															
2001.....	1.4	...	2.7	1.3	...	2.5	2.4	...	4.2	2.8	...	4.8			
2000 1/.....	1.5	...	2.8	1.3	...	2.5	2.7	...	4.7	3.2	...	5.4			
1999 1/.....	1.5	...	2.8	1.4	...	2.6	2.6	...	4.6	3.1	...	5.4			
Of corpus uteri and uterus, part unspecified (C54-C55)															
2001.....	2.4	...	4.2	2.3	...	4.0	3.4	...	5.7	4.2	...	7.0			
2000 1/.....	2.4	...	4.1	2.2	...	3.9	3.6	...	6.0	4.4	...	7.2			
1999 1/.....	2.4	...	4.1	2.2	...	3.9	3.4	...	5.6	4.2	...	6.8			
Of ovary (C56)															
2001.....	5.1	...	9.0	5.2	...	9.3	4.1	...	6.9	4.5	...	7.5			
2000 1/.....	5.1	...	8.9	5.3	...	9.3	3.9	...	6.5	4.3	...	7.2			
1999 1/.....	5.0	...	8.8	5.1	...	9.1	3.9	...	6.7	4.4	...	7.3			
Of other and unspecified female genital organs (C57)															
2001.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2			
2000 1/.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3			
1999 1/.....	0.1	...	0.3	0.1	...	0.3	0.1	...	0.3	0.2	...	0.3			
Of placenta (C58)															
2001.....	*	...	*	*	...	*	*	...	*	*	...	*		*	
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*		*	
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*		*	

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Malignant neoplasms of male genital organs (C60-C63)												
2001.....	11.1	29.6	...	10.2	27.1	...	18.4	50.7	...	23.2	66.5	...
2000 1/.....	11.5	30.8	...	10.5	28.3	...	19.4	53.2	...	24.1	68.6	...
1999 1/.....	11.9	31.8	...	10.9	29.3	...	19.9	54.6	...	24.4	69.5	...
Of prostate (C61)												
2001.....	10.9	29.1	...	10.0	26.6	...	18.3	50.3	...	23.0	66.1	...
2000 1/.....	11.3	30.4	...	10.3	27.8	...	19.2	52.8	...	23.9	68.1	...
1999 1/.....	11.6	31.3	...	10.7	28.7	...	19.7	54.2	...	24.2	69.0	...
Of testis (C62)												
2001.....	0.1	0.2	...	0.1	0.3	...	0.1	0.2	...	0.1	0.2	...
2000 1/.....	0.1	0.3	...	0.1	0.3	...	0.1	0.1	...	0.1	0.2	...
1999 1/.....	0.1	0.3	...	0.2	0.3	...	0.1	0.1	...	0.1	0.1	...
Of penis and other and unspecified male genital organs (C60,C63)												
2001.....	0.1	0.2	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
2000 1/.....	0.1	0.2	...	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...
1999 1/.....	0.1	0.2	...	0.1	0.2	...	0.1	0.3	...	0.1	0.3	...
Malignant neoplasms of urinary tract (C64-C68)												
2001.....	8.8	14.1	5.2	9.0	14.5	5.2	7.1	10.2	5.1	8.2	11.7	5.9
2000 1/.....	8.8	14.1	5.3	9.0	14.5	5.3	6.9	10.3	4.8	8.0	12.1	5.6
1999 1/.....	8.7	13.8	5.2	8.8	14.2	5.1	7.3	10.4	5.2	8.3	12.0	6.0
Of kidney and renal pelvis (C64-C65)												
2001.....	4.3	6.2	2.8	4.3	6.3	2.8	3.7	5.5	2.5	4.2	6.4	2.8
2000 1/.....	4.2	6.2	2.8	4.3	6.3	2.8	3.6	5.4	2.4	4.1	6.3	2.8
1999 1/.....	4.1	5.9	2.7	4.1	5.9	2.7	3.7	5.3	2.5	4.1	6.1	2.8
Of bladder (C67)												
2001.....	4.3	7.5	2.3	4.5	7.9	2.2	3.2	4.5	2.4	3.7	5.1	2.9
2000 1/.....	4.3	7.6	2.3	4.5	7.9	2.3	3.1	4.7	2.3	3.7	5.6	2.7
1999 1/.....	4.4	7.6	2.3	4.5	7.9	2.3	3.4	5.0	2.5	4.0	5.8	3.0

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Of other and unspecified sites within the urinary tract (C66,C68)

2001.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2000 1/.....	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.2	*	0.2
1999 1/.....	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	*	0.2

Malignant neoplasm of eye and adnexa (C69)

2001.....	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*	*	*	*
2000 1/.....	0.1	0.1	0.0	0.1	0.1	0.1	*	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

2001.....	4.5	5.5	3.6	4.8	5.9	3.9	2.4	3.0	2.0	2.6	3.1	2.2
2000 1/.....	4.5	5.6	3.7	4.9	6.0	3.9	2.5	3.0	2.1	2.7	3.3	2.3
1999 1/.....	4.6	5.6	3.8	5.0	6.0	4.1	2.5	3.0	2.0	2.7	3.3	2.3

Of brain (C71)

2001.....	4.4	5.4	3.5	4.7	5.8	3.8	2.4	2.9	1.9	2.5	3.1	2.2
2000 1/.....	4.5	5.5	3.6	4.8	5.9	3.9	2.4	2.9	2.0	2.6	3.2	2.2
1999 1/.....	4.5	5.5	3.7	4.9	5.9	4.0	2.4	2.9	2.0	2.6	3.1	2.2

Of other parts of central nervous system (C70,C72)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.0	*	*	*	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

2001.....	0.8	0.8	0.7	0.8	0.8	0.7	0.7	0.6	0.8	0.7	0.6	0.8
2000 1/.....	0.8	0.8	0.7	0.7	0.8	0.7	0.8	0.6	0.9	0.8	0.6	0.9
1999 1/.....	0.7	0.8	0.7	0.7	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7

Other malignant neoplasms of other and unspecified sites (C76-C80,C97)

2001.....	14.2	17.2	12.0	13.9	16.8	11.9	15.6	20.0	12.6	18.4	24.3	14.5
2000 1/.....	14.7	17.8	12.5	14.5	17.4	12.4	16.1	20.8	12.9	18.7	24.8	14.7
1999 1/.....	16.0	19.5	13.6	15.7	19.1	13.4	17.9	22.4	14.8	20.6	26.5	16.8

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

2001.....	20.0	25.5	16.0	20.2	25.9	16.2	17.5	21.8	14.5	20.0	25.3	16.5
2000 1/.....	20.4	26.0	16.5	20.7	26.4	16.7	17.6	21.7	14.8	19.9	25.0	16.6
1999 1/.....	20.6	26.1	16.7	20.8	26.5	16.8	18.0	22.7	15.0	20.3	25.6	16.8

Hodgkin's disease (C81)

2001.....	0.5	0.6	0.4	0.5	0.6	0.4	0.3	0.4	0.3	0.4	0.5	0.4
2000 1/.....	0.5	0.6	0.4	0.5	0.6	0.4	0.3	0.4	0.3	0.3	0.4	0.3
1999 1/.....	0.5	0.6	0.4	0.5	0.7	0.4	0.3	0.4	0.3	0.4	0.5	0.3

Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)

2001.....	7.9	10.0	6.4	8.2	10.3	6.7	5.4	7.0	4.3	5.6	7.3	4.5
2000 1/.....	8.3	10.3	6.8	8.6	10.7	7.1	5.2	6.5	4.2	5.2	6.7	4.2
1999 1/.....	8.4	10.4	6.9	8.7	10.7	7.2	5.4	7.2	4.2	5.6	7.5	4.4

Non-Hodgkin's lymphoma (C82-C85)

2001.....	7.9	9.9	6.4	8.2	10.2	6.7	5.4	6.9	4.3	5.6	7.2	4.5
2000 1/.....	8.2	10.2	6.7	8.6	10.7	7.1	5.2	6.5	4.2	5.2	6.6	4.2
1999 1/.....	8.3	10.3	6.9	8.7	10.7	7.2	5.4	7.2	4.2	5.6	7.4	4.4

Of other and unspecified lymphoid, hematopoietic and related tissue (C96)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*

Malignant immunoproliferative diseases (C88)

2001.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	*	*	*	*	*
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	*	*	*	*	*
1999 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.1	*	*	0.1	*	*

Multiple myeloma and malignant plasma cell neoplasms (C90)

2001.....	3.8	4.7	3.2	3.6	4.4	2.9	5.8	6.7	5.1	7.3	8.7	6.3
2000 1/.....	3.9	4.7	3.3	3.6	4.4	3.0	6.0	6.8	5.5	7.6	8.8	6.8
1999 1/.....	3.9	4.7	3.3	3.5	4.4	2.9	6.1	7.1	5.6	7.5	8.8	6.6

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												

Carcinoma in situ of other and unspecified sites (D00-D04,D09)

2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Benign neoplasms (D10-D36)

2001.....	0.6	0.6	0.6	0.5	0.5	0.5	0.8	0.8	0.8	1.0	1.1	0.9			
2000 1/.....	0.6	0.5	0.6	0.5	0.5	0.6	0.7	0.7	0.8	0.9	0.8	1.0			
1999 1/.....	0.6	0.6	0.6	0.5	0.5	0.5	0.8	0.8	0.8	1.0	1.0	0.9			

Of female genital organs (D25-D28)

2001.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*	...	*	
2000 1/.....	0.0	...	0.0	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1	...	0.2	
1999 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	

Of eye, brain and other parts of central nervous system (D31-D33)

2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.5	0.6	0.6	0.6			
2000 1/.....	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.4	0.5			
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.4	0.5	0.6	0.5	0.6			

Of other and unspecified sites (D10-D24,D29-D30,D34-D36)

2001.....	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.2	0.3	0.5	0.2			
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.2			
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.2	0.3	0.4	0.2			

Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)

2001.....	4.1	5.3	3.3	4.2	5.4	3.4	3.1	3.9	2.7	3.4	4.3	2.9			
2000 1/.....	4.1	5.3	3.3	4.2	5.4	3.4	3.1	4.0	2.6	3.4	4.4	2.9			
1999 1/.....	4.1	5.3	3.3	4.2	5.5	3.4	3.2	3.8	2.7	3.6	4.1	3.2			

Neoplasm of uncertain or unknown behavior of unspecified sites (D48)

2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2			
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2			
1999 1/.....	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3			

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)

2001.....	3.4	3.4	3.3	2.9	3.0	2.8	5.9	5.6	6.0	7.4	7.2	7.5
2000 1/.....	3.4	3.4	3.3	2.9	3.0	2.8	5.8	5.8	5.9	7.4	7.2	7.5
1999 1/.....	3.3	3.4	3.2	2.8	3.0	2.7	5.9	6.0	5.8	7.3	7.3	7.2

Anemias (D50-D64)

2001.....	1.6	1.6	1.6	1.4	1.4	1.4	2.8	2.7	2.8	3.5	3.6	3.4
2000 1/.....	1.6	1.6	1.6	1.4	1.4	1.4	2.7	2.8	2.8	3.4	3.4	3.5
1999 1/.....	1.6	1.7	1.6	1.4	1.4	1.4	3.0	3.0	2.9	3.6	3.7	3.5

Nutritional anemias (D50-D53)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.2	*	0.2
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.2	*	0.2

Hemolytic anemias (D55-D59)

2001.....	0.3	0.3	0.3	0.1	0.1	0.1	1.0	1.1	1.0	1.4	1.5	1.3
2000 1/.....	0.3	0.3	0.3	0.1	0.1	0.1	1.0	0.9	1.1	1.4	1.3	1.5
1999 1/.....	0.3	0.3	0.3	0.1	0.1	0.1	1.1	1.2	1.0	1.5	1.7	1.4

Aplastic anemias (D60-D61)

2001.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.4	0.3
2000 1/.....	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.6	0.4
1999 1/.....	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.4

Acute posthemorrhagic and other anemias (D62,D64)

2001.....	0.9	0.8	0.9	0.8	0.7	0.8	1.2	1.2	1.3	1.5	1.5	1.6
2000 1/.....	0.8	0.8	0.8	0.8	0.7	0.8	1.2	1.1	1.2	1.4	1.4	1.4
1999 1/.....	0.8	0.8	0.9	0.8	0.7	0.8	1.3	1.2	1.3	1.5	1.3	1.5

Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)

2001.....	0.9	1.0	0.9	0.9	0.9	0.8	1.2	1.3	1.2	1.5	1.4	1.5
2000 1/.....	1.0	1.0	0.9	0.9	1.0	0.9	1.2	1.3	1.3	1.5	1.5	1.5
1999 1/.....	1.0	1.0	0.9	0.9	0.9	0.8	1.4	1.5	1.3	1.6	1.8	1.5

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Other diseases of blood and blood-forming organs (D70-D76)												
2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2000 1/.....	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
Certain disorders involving the immune mechanism (D80-D89)												
2001.....	0.5	0.5	0.5	0.3	0.3	0.3	1.5	1.3	1.7	2.1	1.9	2.4
2000 1/.....	0.5	0.5	0.5	0.3	0.3	0.3	1.5	1.3	1.6	2.1	1.9	2.2
1999 1/.....	0.4	0.4	0.4	0.3	0.3	0.2	1.3	1.1	1.4	1.7	1.5	1.9
IV. Endocrine, nutritional and metabolic diseases (E00-E88)												
2001.....	34.3	37.1	31.8	31.8	35.0	29.0	51.7	52.0	50.8	61.7	63.0	60.1
2000 1/.....	34.1	36.9	31.8	31.6	34.9	28.9	52.2	51.1	52.2	62.1	61.4	61.8
1999 1/.....	34.0	36.6	31.8	31.3	34.4	28.8	53.5	53.7	53.0	62.2	63.0	61.3
Endocrine diseases (E00-E34)												
2001.....	26.3	28.9	24.2	24.0	27.0	21.7	42.4	42.3	41.9	50.6	51.2	49.5
2000 1/.....	26.0	28.4	24.1	23.7	26.6	21.5	42.9	41.9	43.1	51.0	49.9	51.0
1999 1/.....	26.0	28.5	24.1	23.5	26.5	21.3	44.2	43.5	44.3	51.2	50.8	51.0
Disorders of thyroid gland (E00-E07)												
2001.....	0.7	0.4	0.8	0.7	0.4	0.8	0.7	0.5	0.8	0.8	0.6	0.9
2000 1/.....	0.6	0.4	0.8	0.6	0.3	0.8	0.7	0.5	0.8	0.8	0.6	1.0
1999 1/.....	0.7	0.4	0.8	0.6	0.4	0.8	0.7	0.5	0.8	0.9	0.6	1.0
Diabetes mellitus (E10-E14)												
2001.....	25.3	28.1	23.1	23.0	26.2	20.5	41.3	41.3	40.7	49.2	49.9	48.1
2000 1/.....	25.0	27.8	23.0	22.8	26.0	20.4	41.7	41.0	41.8	49.5	48.7	49.4
1999 1/.....	25.0	27.8	23.0	22.6	25.8	20.2	42.9	42.3	43.0	49.7	49.4	49.5
Disorders of pituitary gland (E22-E23)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Disorders of adrenal glands (E24-E27)												

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.2
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*

Diseases of thymus (E32)	*	*	*	*	*	*	*	*	*	*	*	*
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Other endocrine diseases (E15-E21,E28-E31,E34)												
2001.....	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.3	0.4	0.3
2000 1/.....	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.3	0.3	0.4	0.3	0.4
1999 1/.....	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.4	0.2	0.3	0.5	0.3

Nutritional diseases (E40-E68)												
2001.....	2.4	2.2	2.5	2.3	2.1	2.3	3.3	3.1	3.5	4.1	4.0	4.3
2000 1/.....	2.6	2.5	2.6	2.5	2.4	2.5	3.5	3.3	3.7	4.3	4.2	4.4
1999 1/.....	2.5	2.5	2.5	2.4	2.3	2.4	3.6	3.7	3.6	4.4	4.5	4.3

Malnutrition (E40-E46)												
2001.....	1.2	1.1	1.3	1.2	1.0	1.2	1.7	1.8	1.6	1.9	2.2	1.7
2000 1/.....	1.4	1.3	1.5	1.4	1.2	1.4	1.9	2.0	1.9	2.2	2.5	2.1
1999 1/.....	1.5	1.4	1.5	1.4	1.3	1.4	2.1	2.5	1.9	2.5	2.9	2.2

Nutritional marasmus (E41)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*

Other and unspecified malnutrition (E40,E42-E46)												
2001.....	1.1	1.0	1.2	1.1	1.0	1.2	1.6	1.7	1.5	1.8	2.1	1.6
2000 1/.....	1.3	1.2	1.4	1.3	1.2	1.3	1.9	1.8	1.8	2.1	2.3	2.0
1999 1/.....	1.4	1.3	1.4	1.3	1.2	1.3	2.0	2.4	1.8	2.3	2.8	2.0

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE <HTTP://WWW.CDC.GOV/NCHS> AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			
	BOTH SEXES		MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	
Other nutritional deficiencies (E50-E64)													
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*	
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.1	
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.2	*	0.2	
Obesity and other hyperalimentation (E65-E68)													
2001.....	1.1	1.0	1.2	1.0	1.0	1.0	1.6	1.2	1.8	2.1	1.6	2.5	
2000 1/.....	1.1	1.1	1.1	1.0	1.0	0.9	1.5	1.2	1.7	1.9	1.6	2.2	
1999 1/.....	0.9	0.9	1.0	0.9	0.9	0.8	1.3	1.0	1.5	1.7	1.3	2.0	
Metabolic disorders (E70-E88)													
2001.....	5.5	6.0	5.0	5.5	6.0	5.0	5.9	6.5	5.4	7.0	7.9	6.3	
2000 1/.....	5.5	5.9	5.0	5.5	5.9	5.0	5.8	5.9	5.4	6.8	7.3	6.3	
1999 1/.....	5.5	5.7	5.1	5.4	5.6	5.1	5.7	6.6	5.1	6.6	7.7	6.0	
Cystic fibrosis (E84)													
2001.....	0.2	0.2	0.2	0.2	0.2	0.2	*	*	*	*	*	*	
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.0	*	*	*	*	*	
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	*	*	*	*	*	*	
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)													
2001.....	2.7	2.5	2.8	2.6	2.3	2.8	3.6	3.6	3.5	4.4	4.5	4.2	
2000 1/.....	2.8	2.7	2.8	2.7	2.6	2.7	3.5	3.5	3.4	4.2	4.5	4.0	
1999 1/.....	3.0	2.8	3.1	2.9	2.6	3.1	3.6	4.3	3.2	4.3	5.1	3.7	
Other metabolic disorders (E70-E83,E85,E88)													
2001.....	2.6	3.4	2.0	2.7	3.4	2.1	2.3	2.9	1.9	2.6	3.3	2.1	
2000 1/.....	2.5	3.1	2.0	2.5	3.2	2.0	2.2	2.4	2.0	2.5	2.7	2.3	
1999 1/.....	2.3	2.8	1.9	2.3	2.8	1.9	2.1	2.3	1.9	2.4	2.5	2.2	
V. Mental and behavioral disorders (F01-F99)													
2001.....	18.0	17.8	17.1	18.1	17.6	17.4	16.0	18.6	13.6	18.9	22.7	15.6	
2000 1/.....	16.7	16.8	15.7	16.8	16.5	16.0	15.3	18.1	12.7	17.9	22.0	14.4	
1999 1/.....	15.5	16.0	14.3	15.6	15.8	14.5	13.7	17.1	10.9	15.9	20.4	12.3	

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE <HTTP://WWW.CDC.GOV/NCHS> AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Organic dementia (F01,F03)												
2001.....	13.2	11.4	14.0	13.5	11.5	14.3	10.5	9.9	10.6	12.0	11.7	12.0
2000 1/.....	12.0	10.3	12.6	12.2	10.3	12.9	9.8	9.6	9.8	11.1	11.3	10.8
1999 1/.....	10.6	9.3	11.1	10.9	9.5	11.5	7.8	7.7	7.7	8.7	8.9	8.4
Other and unspecified organic mental disorders (F04-F09)												
2001.....	0.7	0.7	0.8	0.8	0.7	0.8	0.6	0.6	0.6	0.8	0.8	0.7
2000 1/.....	0.8	0.7	0.9	0.8	0.7	0.9	0.7	0.7	0.6	0.8	0.8	0.7
1999 1/.....	0.9	0.8	0.9	0.9	0.8	1.0	0.7	0.9	0.7	0.9	1.1	0.8
Mental and behavioral disorders due to psychoactive substance use (F10-F19)												
2001.....	3.2	5.0	1.5	3.0	4.6	1.4	4.4	7.4	1.9	5.4	9.4	2.3
2000 1/.....	3.1	5.0	1.4	2.9	4.6	1.3	4.3	7.3	1.9	5.4	9.3	2.3
1999 1/.....	3.1	5.1	1.4	2.9	4.6	1.2	4.7	7.8	2.1	5.7	9.7	2.6
Mental and behavioral disorders due to use of alcohol (F10)												
2001.....	2.3	3.8	1.0	2.2	3.5	0.9	3.1	5.5	1.1	3.7	6.7	1.3
2000 1/.....	2.2	3.7	0.9	2.1	3.5	0.8	3.0	5.4	1.1	3.6	6.6	1.3
1999 1/.....	2.2	3.7	0.9	2.1	3.4	0.8	3.2	5.7	1.3	3.8	6.8	1.5
Mental and behavioral disorders due to other psychoactive substance use (F11-F19)												
2001.....	0.9	1.2	0.5	0.8	1.1	0.5	1.3	2.0	0.8	1.8	2.6	1.1
2000 1/.....	0.9	1.2	0.6	0.8	1.1	0.5	1.3	1.9	0.8	1.8	2.7	1.1
1999 1/.....	0.9	1.3	0.5	0.8	1.1	0.4	1.4	2.2	0.8	1.9	2.9	1.1
Schizophrenia, schizotypal and delusional disorders (F20-F29)												
2001.....	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.2
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Mood (affective) disorders (F30-F39)												
2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.2	0.1	0.1	0.2	0.1
2000 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.1	*	0.1	0.1	*	0.1
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.1	*	*	0.1	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Neurotic, stress-related and somatoform disorders (F40-F48)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*

Mental retardation (F70-F79)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
1999 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2

Other and unspecified mental and behavioral disorders (F50-F69, F80-F99)

2001.....	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	*	*
1999 1/.....	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	*	0.1	*	*

VI. Diseases of the nervous system (G00-G98)

2001.....	34.2	35.8	32.7	35.2	36.8	33.7	24.5	25.6	23.6	28.6	30.2	27.3
2000 1/.....	33.0	34.8	31.5	34.0	35.8	32.4	23.5	24.9	22.4	27.0	28.8	25.7
1999 1/.....	30.9	33.2	29.1	31.8	34.2	29.9	22.0	23.3	21.0	25.0	26.6	23.7

Meningitis (G00,G03)

2001.....	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.6	0.3	0.5	0.8	0.4
2000 1/.....	0.3	0.3	0.2	0.2	0.3	0.2	0.5	0.6	0.5	0.6	0.8	0.6
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.7	0.5	0.7	0.9	0.6

Other inflammatory diseases of central nervous system (G04-G09)

2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.4	0.4
2000 1/.....	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
1999 1/.....	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.4	0.3

Parkinson's disease (G20-G21)

2001.....	5.9	9.1	4.0	6.2	9.7	4.3	2.7	4.0	1.9	2.5	3.9	1.8
2000 1/.....	5.7	8.8	3.9	6.0	9.3	4.2	2.6	4.4	1.7	2.5	4.2	1.6
1999 1/.....	5.4	8.4	3.7	5.7	8.9	3.9	2.6	4.0	1.8	2.4	3.7	1.7

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Alzheimer's disease (G30)												
2001.....	19.1	16.1	20.5	19.8	16.7	21.3	12.4	10.8	13.1	14.6	13.1	15.1
2000 1/.....	18.1	15.2	19.3	18.8	15.8	20.1	11.4	9.8	12.1	13.0	11.4	13.7
1999 1/.....	16.5	14.4	17.4	17.2	15.0	18.1	10.0	8.8	10.6	11.3	10.2	11.8
Multiple sclerosis (G35)												
2001.....	1.1	0.8	1.3	1.1	0.8	1.4	0.7	0.5	0.9	1.0	0.6	1.3
2000 1/.....	1.0	0.8	1.2	1.1	0.8	1.3	0.8	0.5	1.0	1.0	0.7	1.3
1999 1/.....	1.0	0.7	1.2	1.0	0.7	1.2	0.6	0.4	0.8	0.8	0.6	1.0
Epilepsy (G40-G41)												
2001.....	0.4	0.5	0.4	0.4	0.5	0.4	0.7	0.9	0.6	0.9	1.2	0.8
2000 1/.....	0.5	0.5	0.4	0.4	0.5	0.4	0.8	1.0	0.7	1.0	1.3	0.9
1999 1/.....	0.5	0.6	0.4	0.4	0.5	0.4	0.8	1.0	0.7	1.1	1.3	0.9
Transient cerebral ischemic attacks and related syndromes (G45)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Infantile cerebral palsy (G80)												
2001.....	0.4	0.5	0.3	0.4	0.4	0.3	0.4	0.5	0.4	0.5	0.6	0.4
2000 1/.....	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.6	0.6	0.5
1999 1/.....	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.5	0.3	0.5	0.6	0.4
All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)												
2001.....	6.7	8.1	5.7	6.7	8.1	5.6	6.8	8.0	6.0	8.1	9.6	7.2
2000 1/.....	6.8	8.3	5.7	6.8	8.3	5.6	6.6	7.8	5.8	7.9	9.5	6.8
1999 1/.....	6.6	8.1	5.6	6.6	8.1	5.5	6.6	7.5	6.0	7.7	8.8	7.0
VII. Diseases of the eye and adnexa (H00-H57)												
2001.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Disorders of both mitral and aortic valves (I08.0)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
2001.....	0.4	0.3	0.5	0.4	0.3	0.5	0.4	0.3	0.4	0.3	0.2	0.4
2000 1/.....	0.4	0.3	0.5	0.4	0.3	0.5	0.3	0.2	0.5	0.4	0.2	0.5
1999 1/.....	0.4	0.3	0.5	0.5	0.3	0.5	0.3	0.2	0.4	0.3	0.2	0.3
Hypertensive diseases (I10-I13)												
2001.....	16.5	16.6	15.8	13.9	13.7	13.4	34.5	37.1	32.0	43.0	47.8	38.9
2000 1/.....	16.2	16.3	15.5	13.5	13.4	12.9	35.1	37.3	32.9	43.3	47.2	39.9
1999 1/.....	15.8	15.9	15.2	13.1	12.9	12.6	35.4	38.0	33.0	43.1	47.5	39.4
Essential (primary) hypertension (I10)												
2001.....	3.9	3.5	4.0	3.6	3.1	3.7	6.3	6.5	6.1	7.6	8.2	7.1
2000 1/.....	3.7	3.4	3.8	3.4	3.0	3.5	6.2	6.2	5.9	7.3	7.6	6.9
1999 1/.....	3.6	3.3	3.7	3.3	2.9	3.4	6.2	6.3	6.0	7.2	7.4	7.0
Hypertensive heart disease (I11)												
2001.....	8.7	8.9	8.1	7.3	7.3	6.8	18.3	20.2	16.5	23.2	26.3	20.5
2000 1/.....	8.6	8.7	8.1	7.1	7.1	6.7	18.9	20.4	17.2	23.7	26.3	21.2
1999 1/.....	8.3	8.3	7.9	6.9	6.7	6.6	18.5	20.2	16.9	22.9	25.7	20.5
Hypertensive renal disease (I12)												
2001.....	2.9	3.2	2.7	2.3	2.5	2.1	7.3	7.6	6.9	8.9	9.7	8.3
2000 1/.....	2.8	3.1	2.6	2.2	2.5	2.0	7.4	7.6	7.2	9.0	9.5	8.7
1999 1/.....	2.6	2.9	2.4	2.0	2.3	1.8	7.3	7.9	6.8	8.8	9.8	8.0
Hypertensive heart and renal disease (I13)												
2001.....	1.0	1.1	1.0	0.8	0.8	0.7	2.6	2.8	2.5	3.3	3.6	3.0
2000 1/.....	1.0	1.1	0.9	0.8	0.9	0.7	2.7	3.0	2.5	3.3	3.8	3.1
1999 1/.....	1.2	1.4	1.1	0.9	1.0	0.9	3.5	3.7	3.2	4.2	4.5	3.9

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Ischemic heart diseases (I20-I25)												
2001.....	177.8	228.5	139.9	176.5	228.4	137.4	182.3	223.4	152.7	211.6	262.0	176.7
2000 1/.....	186.8	241.4	146.5	185.6	241.6	143.9	190.3	234.1	159.2	218.3	269.5	183.2
1999 1/.....	194.6	251.2	152.9	193.4	251.2	150.5	198.1	244.8	165.3	224.9	278.7	188.0
Acute myocardial infarction (I21-I22)												
2001.....	65.4	84.9	50.9	65.1	85.4	49.9	66.2	80.2	56.6	76.8	93.1	66.0
2000 1/.....	69.9	91.3	54.1	69.6	91.8	53.1	70.6	86.2	59.8	81.0	98.9	69.2
1999 1/.....	73.2	96.1	56.3	73.1	96.8	55.4	72.9	89.2	61.7	83.1	102.1	70.5
Other acute ischemic heart diseases (I24)												
2001.....	1.2	1.5	0.9	1.1	1.4	0.9	1.5	1.9	1.2	1.8	2.3	1.3
2000 1/.....	1.2	1.5	0.9	1.2	1.5	0.9	1.6	2.0	1.2	1.8	2.5	1.3
1999 1/.....	1.2	1.5	0.9	1.1	1.4	0.9	1.4	2.0	1.1	1.8	2.4	1.3
Other forms of chronic ischemic heart disease (I20,I25)												
2001.....	111.2	142.1	88.1	110.2	141.6	86.7	114.5	141.3	95.0	133.0	166.7	109.3
2000 1/.....	115.7	148.6	91.5	114.8	148.3	90.0	118.2	145.9	98.2	135.4	168.1	112.6
1999 1/.....	120.2	153.6	95.6	119.2	153.0	94.2	123.8	153.7	102.6	140.0	174.2	116.2
Atherosclerotic cardiovascular disease, so described (I25.0)												
2001.....	24.1	30.8	18.5	22.5	28.8	17.3	34.6	45.3	26.6	41.8	56.0	31.7
2000 1/.....	25.2	32.3	19.4	23.6	30.2	18.2	36.4	48.1	27.9	43.5	58.7	32.9
1999 1/.....	26.4	33.5	20.6	24.7	31.2	19.3	38.9	51.2	30.0	45.8	61.5	34.9
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
2001.....	87.1	111.3	69.6	87.6	112.8	69.4	80.0	96.0	68.4	91.1	110.6	77.6
2000 1/.....	90.5	116.3	72.0	91.2	118.1	71.8	81.7	97.8	70.3	91.9	109.5	79.7
1999 1/.....	93.8	120.1	75.0	94.5	121.8	74.9	84.9	102.5	72.6	94.1	112.7	81.3
Other heart diseases (I26-I51)												
2001.....	59.1	66.1	53.4	57.7	64.4	52.3	64.3	74.5	56.9	77.8	91.8	68.2
2000 1/.....	60.0	67.9	53.8	58.6	66.3	52.6	65.6	75.7	58.3	78.4	92.2	69.0
1999 1/.....	60.9	69.2	54.5	59.3	67.2	53.1	68.6	80.9	60.0	81.2	97.5	70.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

2001.....	4.7	4.5	4.9	4.5	4.2	4.6	6.2	6.1	6.5	8.0	7.9	8.3
2000 1/.....	4.7	4.5	4.9	4.5	4.3	4.6	6.3	5.8	6.7	8.0	7.6	8.3
1999 1/.....	4.8	4.7	5.0	4.5	4.5	4.6	6.9	6.5	7.2	8.7	8.4	8.9

Pulmonary embolism (I26)

2001.....	3.1	3.0	3.1	2.9	2.8	2.9	4.0	4.2	4.0	5.3	5.7	5.2
2000 1/.....	3.0	3.0	3.0	2.9	2.9	2.8	4.2	4.2	4.3	5.4	5.7	5.4
1999 1/.....	3.3	3.3	3.3	3.1	3.1	3.1	4.7	4.8	4.7	6.1	6.5	5.9

Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)

2001.....	1.7	1.5	1.8	1.6	1.4	1.7	2.2	1.8	2.4	2.7	2.3	3.0
2000 1/.....	1.7	1.5	1.8	1.6	1.4	1.7	2.0	1.6	2.4	2.5	2.0	2.9
1999 1/.....	1.5	1.4	1.6	1.5	1.4	1.5	2.1	1.7	2.5	2.6	1.9	3.0

Other non-pulmonary forms of heart disease (I30-I51)

2001.....	54.4	61.6	48.5	53.3	60.2	47.7	58.0	68.4	50.5	69.8	83.9	60.0
2000 1/.....	55.2	63.4	48.9	54.2	62.0	48.0	59.4	70.0	51.6	70.5	84.5	60.7
1999 1/.....	56.1	64.5	49.6	54.9	62.7	48.6	61.8	74.4	52.8	72.5	89.1	61.2

Acute and subacute endocarditis (I33)

2001.....	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.9	0.5	0.8	1.1	0.6
2000 1/.....	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.8	0.5	0.7	0.9	0.7
1999 1/.....	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.7	0.5	0.8	0.9	0.6

Diseases of pericardium and acute myocarditis (I30-I31,I40)

2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.4
2000 1/.....	0.3	0.3	0.2	0.3	0.3	0.2	0.4	0.5	0.3	0.4	0.5	0.4
1999 1/.....	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.5	0.4	0.5	0.5	0.5

Other diseases of endocardium (I34-I38)

2001.....	6.9	7.2	6.6	7.2	7.5	6.9	4.4	4.8	4.1	4.9	5.3	4.6
2000 1/.....	7.2	7.5	6.9	7.4	7.7	7.1	4.7	4.8	4.5	5.3	5.4	5.1
1999 1/.....	7.2	7.6	6.9	7.4	7.8	7.1	4.9	5.2	4.7	5.3	5.4	5.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE	BOTH SEXES
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Nonrheumatic mitral valve disorders (I34)												
2001.....	1.0	0.9	1.1	1.0	0.9	1.1	0.6	0.4	0.7	0.7	0.5	0.8
2000 1/.....	1.0	1.0	1.1	1.1	1.0	1.1	0.7	0.5	0.8	0.8	0.6	0.9
1999 1/.....	1.1	1.0	1.1	1.1	1.0	1.2	0.8	0.6	0.9	0.8	0.6	0.9
Nonrheumatic aortic valve disorders (I35)												
2001.....	4.3	4.7	4.0	4.5	4.9	4.2	2.3	2.9	2.0	2.5	3.0	2.1
2000 1/.....	4.5	4.9	4.2	4.7	5.1	4.4	2.5	2.7	2.3	2.7	2.9	2.5
1999 1/.....	4.5	5.0	4.2	4.7	5.2	4.3	2.6	3.0	2.3	2.7	3.1	2.5
All other diseases of endocardium (I36-I38)												
2001.....	1.6	1.7	1.6	1.6	1.7	1.6	1.4	1.4	1.4	1.7	1.8	1.6
2000 1/.....	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.6	1.5	1.8	2.0	1.7
1999 1/.....	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.6	1.5	1.8	1.8	1.8
Cardiomyopathy (I42)												
2001.....	9.5	13.1	6.8	8.7	12.2	6.2	13.6	18.4	10.2	16.9	23.3	12.5
2000 1/.....	9.8	13.8	7.0	9.0	12.7	6.4	14.6	20.1	10.5	17.8	24.9	12.8
1999 1/.....	10.0	13.9	7.1	9.1	12.7	6.5	15.1	21.1	10.9	18.2	25.9	12.9
Conduction disorders and cardiac dysrhythmias (I44-I49)												
2001.....	13.6	15.1	12.3	13.2	14.5	12.0	16.3	19.1	14.3	19.1	22.8	16.6
2000 1/.....	13.9	15.6	12.4	13.6	15.2	12.1	16.0	18.3	14.3	18.8	21.8	16.6
1999 1/.....	14.7	16.7	13.0	14.3	16.2	12.8	16.9	20.5	14.6	20.0	24.6	17.1
Heart failure (I50)												
2001.....	20.2	21.2	19.2	20.2	21.2	19.3	18.3	19.5	17.3	22.1	24.4	20.6
2000 1/.....	20.3	21.5	19.2	20.3	21.6	19.3	18.7	20.0	17.8	22.0	24.2	20.7
1999 1/.....	20.3	21.4	19.3	20.3	21.4	19.3	19.4	21.2	18.3	22.5	25.3	20.9
Congestive heart failure (I50.0)												
2001.....	18.7	19.5	18.0	18.8	19.6	18.1	16.5	17.3	15.8	19.9	21.7	18.8
2000 1/.....	18.8	19.8	17.9	18.9	20.0	18.0	16.8	17.7	16.2	19.7	21.3	18.8
1999 1/.....	18.8	19.8	17.9	18.8	19.7	18.0	17.5	19.1	16.6	20.3	22.7	18.9

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Other and unspecified heart failure (I50.1-I50.9)												
2001.....	1.5	1.7	1.3	1.4	1.6	1.2	1.8	2.2	1.5	2.2	2.7	1.8
2000 1/.....	1.5	1.7	1.4	1.4	1.6	1.3	1.9	2.3	1.7	2.3	2.8	1.9
1999 1/.....	1.5	1.7	1.3	1.4	1.6	1.3	1.9	2.1	1.7	2.2	2.5	2.0
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
2001.....	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.5	0.3	0.5	0.6	0.4
2000 1/.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.4	0.4	0.3
1999 1/.....	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.3	0.4	0.5	0.3
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
2001.....	3.2	3.8	2.6	3.0	3.7	2.5	4.1	4.8	3.5	5.0	6.0	4.2
2000 1/.....	3.2	3.9	2.6	3.0	3.7	2.4	4.1	5.1	3.3	5.0	6.5	4.0
1999 1/.....	3.0	3.7	2.4	2.8	3.5	2.2	3.9	4.8	3.2	4.7	6.0	3.8
Cerebrovascular diseases (I60-I69)												
2001.....	57.9	59.0	56.4	55.8	56.5	54.5	70.7	75.4	66.9	78.8	85.4	73.7
2000 1/.....	60.9	62.4	59.1	58.8	59.8	57.3	73.8	79.9	69.2	81.9	89.6	76.2
1999 1/.....	61.6	63.2	59.8	59.6	60.8	58.0	74.1	80.5	69.5	81.8	89.6	76.2
Subarachnoid hemorrhage (I60)												
2001.....	2.2	1.7	2.5	2.0	1.6	2.4	3.0	2.2	3.6	3.1	2.3	3.7
2000 1/.....	2.4	1.8	2.8	2.2	1.7	2.6	3.2	2.1	4.0	3.4	2.3	4.2
1999 1/.....	2.4	1.8	2.8	2.2	1.7	2.6	3.2	2.2	3.9	3.3	2.4	4.0
Intracerebral and other intracranial hemorrhage (I61-I62)												
2001.....	9.4	10.5	8.6	8.8	9.8	8.0	13.0	14.9	11.5	13.7	15.8	12.1
2000 1/.....	9.9	11.1	9.0	9.2	10.3	8.5	13.4	15.8	11.7	14.3	17.0	12.3
1999 1/.....	9.3	10.3	8.5	8.7	9.6	8.0	12.8	14.8	11.3	13.3	15.5	11.7
Cerebral infarction (I63)												
2001.....	4.5	4.6	4.3	4.4	4.5	4.2	5.0	5.7	4.6	5.8	6.8	5.2
2000 1/.....	5.0	5.3	4.7	4.9	5.1	4.6	5.9	6.7	5.3	6.6	7.5	5.9
1999 1/.....	5.4	5.7	5.2	5.3	5.5	5.1	6.3	7.2	5.6	7.1	8.3	6.3

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Stroke, not specified as hemorrhage or infarction (I64)

2001.....	31.4	31.4	30.9	30.5	30.2	30.2	37.5	40.1	35.4	42.7	46.4	39.8
2000 1/.....	32.8	33.0	32.2	31.9	31.8	31.4	38.8	41.9	36.5	44.2	48.5	41.1
1999 1/.....	33.6	34.0	32.8	32.7	32.8	32.0	39.5	42.3	37.3	44.6	48.4	41.8

Other cerebrovascular diseases and their sequelae (I67, I69)

2001.....	10.4	10.7	10.1	10.2	10.5	9.8	12.2	12.6	11.7	13.5	14.1	13.0
2000 1/.....	10.8	11.3	10.3	10.5	11.0	10.1	12.4	13.4	11.7	13.4	14.4	12.7
1999 1/.....	10.9	11.4	10.5	10.7	11.1	10.3	12.4	14.1	11.3	13.6	15.0	12.5

Diseases of arteries, arterioles and capillaries (I70-I78)

2001.....	14.0	17.1	11.7	14.0	17.2	11.7	13.1	15.2	11.4	15.1	17.4	13.4
2000 1/.....	14.7	18.4	12.0	14.7	18.6	11.9	13.8	16.0	12.3	15.7	18.4	13.9
1999 1/.....	15.0	18.5	12.5	15.1	18.7	12.5	13.8	16.1	12.2	15.5	18.2	13.7

Atherosclerosis (I70)

2001.....	5.0	5.1	4.8	5.1	5.2	5.0	3.7	4.0	3.5	4.3	4.6	4.1
2000 1/.....	5.2	5.5	5.0	5.3	5.6	5.1	4.2	4.6	3.9	4.8	5.4	4.4
1999 1/.....	5.5	5.7	5.3	5.6	5.8	5.4	4.5	5.1	4.1	5.0	5.8	4.5

Aortic aneurysm and dissection (I71)

2001.....	5.4	8.0	3.6	5.5	8.2	3.6	4.6	6.2	3.5	5.0	6.4	3.9
2000 1/.....	5.7	8.7	3.7	5.8	9.0	3.6	4.9	6.4	3.8	5.2	6.8	4.1
1999 1/.....	5.8	8.8	3.7	5.9	9.1	3.7	4.6	6.1	3.6	4.9	6.3	3.9

Other diseases of arteries, arterioles and capillaries (I72-I78)

2001.....	3.6	3.9	3.3	3.4	3.8	3.2	4.7	5.0	4.5	5.9	6.4	5.5
2000 1/.....	3.7	4.2	3.4	3.6	4.0	3.2	4.8	5.1	4.5	5.7	6.2	5.3
1999 1/.....	3.7	4.0	3.4	3.5	3.9	3.3	4.7	4.9	4.5	5.6	6.0	5.3

Other disorders of circulatory system (I80-I99)

2001.....	1.6	1.7	1.6	1.5	1.6	1.5	2.2	2.4	2.1	2.7	3.1	2.5
2000 1/.....	1.7	1.7	1.6	1.6	1.6	1.5	2.3	2.4	2.2	2.9	3.0	2.8
1999 1/.....	1.5	1.5	1.4	1.4	1.4	1.3	2.0	2.2	1.8	2.4	2.6	2.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)

2001.....	1.2	1.2	1.3	1.2	1.1	1.2	1.7	1.7	1.7	2.2	2.3	2.1
2000 1/.....	1.2	1.2	1.2	1.1	1.1	1.2	1.7	1.6	1.8	2.2	2.1	2.3
1999 1/.....	1.0	0.9	1.0	0.9	0.9	0.9	1.3	1.3	1.3	1.7	1.7	1.6

All other and unspecified disorders of circulatory system (I83-I99)

2001.....	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.7	0.3	0.5	0.8	0.4
2000 1/.....	0.4	0.5	0.3	0.4	0.5	0.3	0.5	0.7	0.4	0.6	0.9	0.5
1999 1/.....	0.5	0.6	0.4	0.5	0.6	0.4	0.7	0.9	0.5	0.7	1.0	0.6

X. Diseases of the respiratory system (J00-J98)

2001.....	81.6	101.2	69.8	83.3	102.3	71.9	65.3	89.1	51.3	71.8	99.5	56.3
2000 1/.....	83.7	105.7	70.9	85.4	106.8	73.0	67.2	93.1	51.8	73.5	102.9	56.9
1999 1/.....	84.3	107.7	70.6	85.9	108.7	72.5	68.6	95.8	52.6	75.5	106.9	57.8

Acute upper respiratory infections (J00-J06)

2001.....	0.0	0.0	0.1	0.0	0.0	0.1	0.0	*	*	0.1	*	*
2000 1/.....	0.0	0.0	0.1	0.1	0.1	0.1	0.0	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*

Acute pharyngitis and tonsillitis (J02-J03)

2001.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
2000 1/.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Acute laryngitis and tracheitis (J04)

2001.....	0.0	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*	*	*	*
1999 1/.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
ACUTE BRONCHITIS AND BRONCHIOLITIS (J20-J21)												

Acute bronchitis and bronchiolitis (J20-J21)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2

Unspecified acute lower respiratory infection (J22)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.1	0.0	0.0	*	*	*	*	*
1999 1/.....	0.1	0.0	0.1	0.1	0.0	0.1	*	*	*	*	*

Other diseases of upper respiratory tract (J30-J39)

2001.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.4
2000 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3
1999 1/.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.3	0.2

Chronic lower respiratory diseases (J40-J47)

2001.....	43.7	54.0	37.6	45.6	55.5	39.8	27.6	40.9	19.9	30.9	46.3
2000 1/.....	44.2	55.8	37.4	46.0	57.2	39.5	28.5	42.6	20.3	31.6	47.5
1999 1/.....	45.4	58.7	37.7	47.1	60.0	39.7	30.2	45.8	21.1	33.5	51.5

Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)

2001.....	43.3	53.8	37.2	45.3	55.2	39.4	27.4	40.5	19.7	30.8	46.1
2000 1/.....	43.8	55.5	37.0	45.6	56.9	39.1	28.2	42.4	20.0	31.4	47.3
1999 1/.....	45.1	58.4	37.3	46.8	59.7	39.3	30.0	45.5	20.9	33.3	51.3

Bronchitis, not specified as acute or chronic (J40)

2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.2
2000 1/.....	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.2	0.2	0.2
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3

Chronic bronchitis (J41-J42)

2001.....	0.1	0.2	0.1	0.2	0.2	0.1	0.1	*	*	0.1	*
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	*	0.1	*
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	*	0.1	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Emphysema (J43)												
2001.....	5.8	7.4	4.7	6.1	7.8	5.1	3.0	4.8	1.9	3.3	5.3	2.2
2000 1/.....	6.0	7.8	4.9	6.4	8.1	5.3	3.4	5.6	2.1	3.8	6.2	2.4
1999 1/.....	6.5	8.6	5.2	6.9	8.9	5.6	3.6	6.0	2.1	4.0	6.7	2.3
Other chronic obstructive pulmonary disease (J44)												
2001.....	35.7	44.8	30.3	37.5	46.2	32.4	21.1	32.6	14.5	23.6	37.3	16.1
2000 1/.....	35.8	45.9	29.9	37.5	47.3	31.9	21.3	33.4	14.2	23.5	37.3	15.8
1999 1/.....	36.5	47.9	29.8	38.1	49.3	31.6	22.7	35.8	15.0	25.1	40.6	16.5
Asthma (J45-J46)												
2001.....	1.5	1.2	1.7	1.2	0.9	1.5	3.0	2.8	3.2	3.6	3.2	3.8
2000 1/.....	1.6	1.3	1.8	1.3	1.0	1.5	3.3	3.1	3.4	3.9	3.5	4.1
1999 1/.....	1.7	1.3	2.0	1.4	1.0	1.7	3.3	3.2	3.5	3.9	3.5	4.1
Bronchiectasis (J47)												
2001.....	0.3	0.2	0.4	0.4	0.2	0.4	0.2	0.3	0.2	0.1	*	*
2000 1/.....	0.3	0.2	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.1	*	*
1999 1/.....	0.3	0.3	0.4	0.4	0.3	0.4	0.3	0.3	0.2	0.2	*	0.2
Lung diseases due to external agents (J60-J70)												
2001.....	6.6	9.5	4.9	6.6	9.6	4.8	6.4	8.4	5.2	7.3	10.1	5.8
2000 1/.....	6.5	9.7	4.7	6.5	9.8	4.7	6.2	8.8	4.7	7.0	10.2	5.2
1999 1/.....	6.1	9.2	4.4	6.0	9.1	4.3	6.1	9.2	4.3	7.1	10.7	5.1
Pneumoconioses and chemical effects (J60-J66,J68)												
2001.....	0.4	1.0	0.0	0.4	1.1	0.0	0.2	0.5	*	0.2	0.7	*
2000 1/.....	0.4	1.1	0.0	0.4	1.1	0.0	0.2	0.6	*	0.2	0.7	*
1999 1/.....	0.4	1.0	0.0	0.4	1.1	0.0	0.2	0.6	*	0.3	0.8	*
Pneumonitis due to solids and liquids (J69)												
2001.....	6.1	8.5	4.8	6.1	8.5	4.8	6.1	7.9	5.2	7.0	9.4	5.7
2000 1/.....	6.1	8.6	4.6	6.0	8.6	4.6	6.0	8.2	4.7	6.8	9.4	5.2
1999 1/.....	5.6	8.1	4.3	5.6	8.0	4.3	5.8	8.5	4.3	6.8	9.9	5.1

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Pneumonitis due to food and vomit (J69.0)

2001.....	6.1	8.5	4.8	6.1	8.5	4.8	6.1	7.9	5.2	7.0	9.4	5.7
2000 1/.....	6.1	8.6	4.6	6.0	8.6	4.6	6.0	8.2	4.7	6.8	9.4	5.2
1999 1/.....	5.6	8.1	4.3	5.6	8.0	4.3	5.8	8.5	4.3	6.8	9.9	5.1

Other pneumonitis due to solids and liquids (J69.1-J69.8)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*

Other lung diseases due to external agents (J67,J70)

2001.....	0.0	0.0	0.0	0.0	0.1	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

2001.....	0.3	0.4	0.2	0.2	0.3	0.2	0.3	0.6	0.2	0.4	0.6	0.2
2000 1/.....	0.2	0.4	0.2	0.2	0.4	0.2	0.4	0.6	0.2	0.4	0.7	0.3
1999 1/.....	0.3	0.4	0.2	0.3	0.4	0.2	0.4	0.7	0.3	0.5	0.8	0.3

Pleural effusion and plaque (J90,J92)

2001.....	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.4
2000 1/.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.2	0.4	0.5	0.3
1999 1/.....	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3

All other diseases of respiratory system (J80-J84,J93-J98)

2001.....	8.4	10.0	7.3	8.5	10.1	7.3	7.5	8.3	6.9	8.2	9.2	7.7
2000 1/.....	8.4	10.2	7.2	8.5	10.3	7.3	7.4	8.9	6.5	8.1	9.6	7.2
1999 1/.....	8.3	10.0	7.2	8.3	10.1	7.1	7.6	8.7	6.9	8.2	9.5	7.5

XI. Diseases of the digestive system (K00-K92)

2001.....	30.3	35.5	25.7	30.1	34.9	25.6	30.3	37.7	24.5	34.6	44.0	27.5
2000 1/.....	30.4	35.8	25.5	30.0	35.3	25.3	31.1	38.0	25.7	35.3	43.8	28.8
1999 1/.....	30.3	36.0	25.3	30.0	35.5	25.0	31.4	38.7	25.8	35.3	44.1	28.7

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Diseases of oral cavity, salivary glands and jaws (K00-K14)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*

Diseases of other parts of digestive system (K20-K92)

2001.....	30.4	35.7	25.6	30.2	35.2	25.6	30.3	37.8	24.5	34.6	44.1	27.4
2000 1/.....	30.4	36.0	25.5	30.1	35.5	25.2	31.1	38.2	25.7	35.3	43.9	28.7
1999 1/.....	30.4	36.2	25.3	30.1	35.7	25.0	31.5	38.8	25.8	35.4	44.2	28.6

Diseases of esophagus (K20-K22)

2001.....	0.7	0.9	0.7	0.8	0.9	0.7	0.5	0.7	0.4	0.6	0.9	0.5
2000 1/.....	0.8	1.0	0.7	0.8	1.0	0.7	0.6	0.8	0.4	0.7	1.0	0.5
1999 1/.....	0.8	1.0	0.7	0.8	1.0	0.7	0.6	0.8	0.4	0.7	1.0	0.5

Peptic ulcer (K25-K28)

2001.....	1.6	1.8	1.4	1.6	1.8	1.4	1.6	2.2	1.1	1.6	2.3	1.1
2000 1/.....	1.6	2.0	1.4	1.6	2.0	1.4	1.6	2.3	1.2	1.7	2.3	1.3
1999 1/.....	1.7	2.0	1.4	1.7	2.0	1.4	1.8	2.3	1.4	1.9	2.4	1.4

Gastric ulcer (K25)

2001.....	0.5	0.4	0.4	0.4	0.4	0.4	0.6	0.7	0.4	0.6	0.8	0.4
2000 1/.....	0.5	0.5	0.4	0.5	0.5	0.4	0.6	0.9	0.4	0.7	1.0	0.4
1999 1/.....	0.5	0.5	0.4	0.5	0.5	0.4	0.6	0.9	0.5	0.7	1.0	0.5

Duodenal ulcer (K26)

2001.....	0.5	0.7	0.4	0.6	0.7	0.4	0.4	0.7	0.3	0.4	0.6	0.3
2000 1/.....	0.5	0.7	0.4	0.6	0.7	0.4	0.5	0.6	0.3	0.5	0.6	0.3
1999 1/.....	0.5	0.7	0.4	0.5	0.7	0.4	0.5	0.6	0.4	0.5	0.6	0.4

Peptic ulcer, site unspecified (K27)

2001.....	0.6	0.7	0.5	0.6	0.7	0.5	0.5	0.8	0.4	0.6	0.9	0.4
2000 1/.....	0.6	0.8	0.5	0.6	0.8	0.5	0.5	0.7	0.4	0.6	0.7	0.5
1999 1/.....	0.6	0.8	0.6	0.6	0.8	0.6	0.6	0.7	0.5	0.6	0.8	0.5

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Gastrojejunal ulcer (K28)												
2001.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
Gastritis and duodenitis (K29)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	*	0.1
1999 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.3	0.2
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Diseases of appendix (K35-K38)												
2001.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.4	0.2
2000 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.3	0.4	0.2
1999 1/.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.4	0.1
Hernia (K40-K46)												
2001.....	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.4	0.6	0.8	0.5
2000 1/.....	0.5	0.5	0.5	0.6	0.6	0.6	0.5	0.5	0.5	0.6	0.6	0.6
1999 1/.....	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.6
Crohn's disease and ulcerative colitis (K50-K51)												
2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
2000 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.2	0.2	*	0.2
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.2	0.2	0.2	0.2
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
2001.....	5.1	4.6	5.3	5.0	4.5	5.3	5.2	5.4	5.0	6.2	7.0	5.8
2000 1/.....	5.2	4.7	5.4	5.1	4.5	5.4	5.6	6.0	5.2	6.6	7.3	6.1
1999 1/.....	5.1	4.6	5.4	5.1	4.4	5.4	5.4	5.6	5.3	6.4	6.6	6.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Diverticular disease of intestine (K57)												
2001.....	1.2	1.0	1.3	1.2	1.0	1.4	0.9	0.8	1.0	1.1	0.8	1.2
2000 1/.....	1.2	1.0	1.3	1.2	1.0	1.3	0.9	0.7	1.0	1.0	0.8	1.2
1999 1/.....	1.3	1.0	1.4	1.3	1.1	1.4	0.9	0.7	1.0	1.1	0.8	1.2
Other diseases of intestines and peritoneum (K52,K58-K63)												
2001.....	1.7	1.6	1.7	1.7	1.5	1.8	1.6	1.7	1.6	1.9	2.1	1.8
2000 1/.....	1.6	1.5	1.7	1.6	1.5	1.7	1.6	1.7	1.5	1.8	1.9	1.7
1999 1/.....	1.6	1.6	1.7	1.6	1.5	1.7	1.5	1.7	1.3	1.7	2.0	1.5
Diseases of peritoneum (K65-K66)												
2001.....	0.7	0.7	0.6	0.6	0.7	0.6	0.9	1.0	0.8	1.1	1.2	1.0
2000 1/.....	0.7	0.7	0.7	0.7	0.7	0.6	0.9	1.1	0.9	1.1	1.3	1.0
1999 1/.....	0.7	0.8	0.6	0.7	0.7	0.6	0.9	1.0	0.9	1.1	1.2	1.0
Diseases of liver (K70-K76)												
2001.....	12.3	16.7	8.3	12.3	16.7	8.3	11.8	16.5	8.0	13.0	18.9	8.5
2000 1/.....	12.2	16.7	8.2	12.1	16.7	8.0	12.0	16.2	8.7	13.2	18.4	9.1
1999 1/.....	12.3	17.0	8.1	12.1	16.9	7.9	12.7	17.2	8.9	13.9	19.6	9.5
Alcoholic liver disease (K70)												
2001.....	4.3	6.6	2.2	4.3	6.6	2.2	4.1	6.3	2.4	4.4	6.9	2.4
2000 1/.....	4.3	6.8	2.2	4.3	6.9	2.0	4.3	6.4	2.6	4.6	7.0	2.8
1999 1/.....	4.3	6.9	2.1	4.3	6.8	2.0	4.7	7.3	2.6	5.1	8.1	2.8
Chronic hepatitis, not elsewhere classified (K73)												
2001.....	0.2	0.1	0.2	0.2	0.1	0.2	0.1	*	0.2	0.2	*	0.2
2000 1/.....	0.2	0.1	0.2	0.1	0.1	0.2	0.2	*	0.2	0.2	*	0.2
1999 1/.....	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.3	0.2	*	0.3
Fibrosis and cirrhosis of liver (K74)												
2001.....	5.1	6.5	3.8	5.2	6.5	3.9	4.3	5.8	2.9	4.7	6.8	3.0
2000 1/.....	5.1	6.5	3.8	5.1	6.6	3.8	4.3	5.6	3.2	4.7	6.4	3.3
1999 1/.....	5.0	6.6	3.7	5.1	6.6	3.8	4.4	5.8	3.2	4.8	6.7	3.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Other diseases of liver (K71-K72, K75-K76)												
2001.....	2.7	3.5	2.1	2.7	3.4	2.0	3.2	4.2	2.5	3.8	5.0	2.9
2000 1/.....	2.6	3.3	2.0	2.5	3.2	1.9	3.3	4.1	2.6	3.8	4.9	2.9
1999 1/.....	2.7	3.4	2.1	2.5	3.3	1.9	3.4	4.0	2.8	3.9	4.7	3.2
Cholelithiasis and other disorders of gallbladder (K80-K82)												
2001.....	1.0	1.2	0.9	1.0	1.2	0.9	1.2	1.4	1.1	1.3	1.4	1.2
2000 1/.....	1.0	1.2	0.9	1.0	1.2	0.9	1.1	1.1	1.1	1.2	1.1	1.2
1999 1/.....	1.0	1.2	0.9	1.0	1.2	0.9	1.1	1.2	1.0	1.1	1.1	1.0
Disorders of biliary tract and pancreas (K83-K86)												
2001.....	1.8	2.1	1.5	1.7	2.0	1.4	2.1	2.6	1.8	2.5	3.1	2.0
2000 1/.....	1.7	2.1	1.4	1.6	1.9	1.3	2.1	2.8	1.6	2.5	3.3	1.9
1999 1/.....	1.6	2.0	1.3	1.5	1.9	1.3	2.1	2.7	1.6	2.4	3.2	1.8
Pancreatitis (K85, K86.0-K86.1)												
2001.....	1.3	1.5	1.1	1.2	1.5	1.0	1.6	2.0	1.3	1.9	2.4	1.5
2000 1/.....	1.2	1.5	1.0	1.2	1.4	0.9	1.5	2.1	1.1	1.9	2.6	1.3
1999 1/.....	1.2	1.5	1.0	1.1	1.4	0.9	1.6	2.1	1.2	1.9	2.6	1.3
Other disorders of biliary tract and pancreas (K83, K86.2-K86.9)												
2001.....	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.6	0.5	0.6	0.7	0.5
2000 1/.....	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.7	0.5	0.6	0.7	0.5
1999 1/.....	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.6	0.4	0.5	0.6	0.5
All other diseases of digestive system (K90-K92)												
2001.....	2.9	3.4	2.5	2.9	3.3	2.5	3.1	3.9	2.6	3.8	4.7	3.1
2000 1/.....	2.9	3.4	2.6	2.9	3.3	2.5	3.4	4.0	2.9	4.0	4.8	3.4
1999 1/.....	2.9	3.3	2.5	2.8	3.3	2.5	3.1	3.8	2.6	3.6	4.4	3.0
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
2001.....	1.3	1.2	1.4	1.1	1.0	1.2	2.9	2.6	3.0	3.6	3.4	3.7
2000 1/.....	1.4	1.2	1.4	1.1	1.0	1.2	3.2	2.9	3.3	3.9	3.7	4.0
1999 1/.....	1.3	1.3	1.4	1.1	1.0	1.1	3.4	3.1	3.6	4.2	4.0	4.4

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Infections of skin and subcutaneous tissue (L00-L08)

2001.....	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.6	0.5	0.6
2000 1/.....	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.5	0.5
1999 1/.....	0.4	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.4	0.5	0.6	0.5

Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)

2001.....	0.9	0.7	1.0	0.7	0.6	0.8	2.4	2.1	2.5	3.1	2.9	3.1
2000 1/.....	0.9	0.8	1.1	0.7	0.6	0.8	2.7	2.4	2.9	3.4	3.2	3.5
1999 1/.....	1.0	0.9	1.1	0.8	0.7	0.8	3.0	2.6	3.2	3.8	3.4	3.9

XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)

2001.....	5.0	3.6	5.9	4.8	3.5	5.7	5.5	4.2	6.5	6.4	5.1	7.5
2000 1/.....	5.0	3.7	5.9	4.8	3.5	5.7	5.6	4.7	6.5	6.6	5.7	7.4
1999 1/.....	4.9	3.5	5.9	4.7	3.4	5.6	5.4	4.2	6.5	6.3	5.0	7.4

Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)

2001.....	0.9	0.5	1.2	1.0	0.5	1.3	0.7	0.4	0.8	0.7	0.4	0.8
2000 1/.....	1.0	0.6	1.2	1.0	0.6	1.3	0.6	0.4	0.8	0.6	0.4	0.8
1999 1/.....	1.0	0.6	1.3	1.0	0.6	1.3	0.6	0.3	0.7	0.6	0.4	0.7

Systemic lupus erythematosus (M32)

2001.....	0.5	0.2	0.8	0.3	0.1	0.6	1.1	0.3	1.7	1.3	0.3	2.1
2000 1/.....	0.5	0.2	0.8	0.3	0.1	0.6	1.1	0.3	1.7	1.3	0.4	2.2
1999 1/.....	0.5	0.2	0.8	0.4	0.1	0.6	1.1	0.3	1.8	1.3	0.3	2.2

Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)

2001.....	1.7	1.3	2.0	1.6	1.2	1.9	1.9	1.4	2.2	2.3	1.8	2.6
2000 1/.....	1.7	1.3	2.0	1.7	1.2	2.0	2.1	1.8	2.3	2.4	2.1	2.6
1999 1/.....	1.7	1.3	2.0	1.6	1.2	1.9	2.1	1.5	2.5	2.4	1.9	2.9

Dorsopathies (M40-M54)

2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3
2000 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.2
1999 1/.....	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Soft tissue disorders (M60-M79)												
2001.....	0.4	0.5	0.3	0.3	0.5	0.3	0.6	0.7	0.5	0.7	0.9	0.6
2000 1/.....	0.4	0.5	0.3	0.3	0.4	0.2	0.6	0.7	0.6	0.8	0.9	0.7
1999 1/.....	0.4	0.5	0.3	0.3	0.4	0.2	0.6	0.8	0.4	0.7	1.0	0.5
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
2001.....	1.1	0.8	1.3	1.2	0.8	1.3	1.0	1.0	1.0	1.1	1.2	1.0
2000 1/.....	1.1	0.8	1.2	1.1	0.8	1.3	1.0	1.1	0.9	1.1	1.4	0.9
1999 1/.....	1.1	0.7	1.2	1.1	0.7	1.3	0.8	0.9	0.8	0.9	1.0	0.9
Osteoporosis (M80-M81)												
2001.....	0.6	0.2	0.8	0.6	0.2	0.8	0.2	*	0.2	0.1	*	0.1
2000 1/.....	0.6	0.2	0.8	0.7	0.2	0.9	0.2	*	0.2	0.1	*	*
1999 1/.....	0.6	0.2	0.8	0.7	0.2	0.9	0.2	*	0.2	0.1	*	*
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
2001.....	0.5	0.6	0.5	0.5	0.6	0.4	0.8	0.9	0.7	1.0	1.2	0.9
2000 1/.....	0.5	0.6	0.4	0.4	0.5	0.4	0.8	1.0	0.7	1.0	1.3	0.8
1999 1/.....	0.4	0.5	0.4	0.4	0.5	0.4	0.7	0.8	0.6	0.8	0.9	0.7
XIV. Diseases of the genitourinary system (N00-N98)												
2001.....	20.2	23.2	18.5	18.5	21.6	16.7	31.9	34.6	30.2	38.6	43.1	36.0
2000 1/.....	19.8	23.0	18.0	18.1	21.4	16.3	31.5	34.5	29.5	37.7	42.6	34.8
1999 1/.....	19.5	22.7	17.7	17.8	20.9	16.1	32.1	36.7	29.3	37.9	44.6	34.2
Diseases of urinary system (N00-N39)												
2001.....	19.9	22.6	18.2	18.2	21.0	16.5	31.5	34.0	29.8	38.1	42.4	35.6
2000 1/.....	19.5	22.4	17.7	17.8	20.8	16.1	31.0	33.8	29.2	37.2	41.8	34.4
1999 1/.....	19.2	22.0	17.5	17.5	20.2	15.9	31.6	36.0	28.9	37.3	43.7	33.7
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
2001.....	0.7	0.8	0.6	0.6	0.7	0.6	0.8	0.9	0.7	0.8	1.0	0.7
2000 1/.....	0.7	0.8	0.7	0.6	0.7	0.6	1.0	1.1	0.9	1.1	1.2	1.0
1999 1/.....	0.7	0.9	0.7	0.7	0.9	0.7	1.0	1.2	0.8	1.1	1.5	0.9

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Glomerular diseases (N00-N07)												

Glomerular diseases (N00-N07)

2001.....	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.2	0.3	0.4	0.3
2000 1/.....	0.2	0.3	0.2	0.2	0.3	0.2	0.4	0.5	0.3	0.4	0.5	0.4
1999 1/.....	0.3	0.3	0.2	0.2	0.3	0.2	0.4	0.6	0.4	0.5	0.6	0.4

Acute and rapidly progressive nephritic syndrome (N00-N01)

2001.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
2000 1/.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*
1999 1/.....	0.0	*	*	0.0	*	*	*	*	*	*	*	*

Nephrotic syndrome (N04)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	*	*	*
2000 1/.....	0.0	0.1	0.0	0.0	0.1	0.0	0.1	*	*	0.1	*	*
1999 1/.....	0.1	0.1	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*

Other and unspecified glomerular diseases (N02-N03,N05-N07)

2001.....	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2
2000 1/.....	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.4	0.3	0.3	0.4	0.3
1999 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.3	0.4	0.3	0.4	0.4	0.3

Renal tubulo-interstitial diseases (N10-N15)

2001.....	0.4	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.4	0.5	0.6	0.5
2000 1/.....	0.5	0.5	0.5	0.4	0.4	0.4	0.6	0.6	0.6	0.6	0.7	0.6
1999 1/.....	0.5	0.6	0.5	0.5	0.6	0.5	0.5	0.7	0.4	0.6	0.9	0.5

Renal failure (N17-N19)

2001.....	13.7	17.1	11.8	12.3	15.8	10.2	23.8	26.8	22.0	29.2	33.4	26.7
2000 1/.....	13.2	16.6	11.3	11.8	15.2	9.8	23.1	26.0	21.3	28.2	32.6	25.5
1999 1/.....	12.8	16.1	10.8	11.3	14.6	9.4	23.4	27.1	21.2	27.9	33.0	24.9

Urolithiasis (N20-N23)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Other and unspecified disorders of kidney (N25-N27)												
2001.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*
Urinary tract infection, site not specified (N39.0)												
2001.....	5.0	4.1	5.4	4.8	4.0	5.2	6.2	5.6	6.5	7.3	7.0	7.4
2000 1/.....	5.0	4.4	5.3	4.9	4.2	5.2	6.2	5.9	6.3	7.2	7.0	7.1
1999 1/.....	5.2	4.4	5.5	5.0	4.2	5.4	6.5	6.7	6.3	7.5	8.0	7.2
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
2001.....	0.4	0.4	0.3	0.4	0.4	0.3	0.5	0.6	0.5	0.7	0.8	0.6
2000 1/.....	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.7	0.5	0.7	0.9	0.6
1999 1/.....	0.4	0.5	0.3	0.3	0.5	0.3	0.6	0.8	0.5	0.7	0.9	0.5
Diseases of male genital organs (N40-N50)												
2001.....	0.2	0.6	...	0.2	0.6	...	0.2	0.6	...	0.3	0.8	...
2000 1/.....	0.2	0.6	...	0.2	0.6	...	0.2	0.7	...	0.3	0.8	...
1999 1/.....	0.2	0.6	...	0.2	0.6	...	0.3	0.7	...	0.3	0.9	...
Hyperplasia of prostate (N40)												
2001.....	0.1	0.5	...	0.2	0.5	...	0.1	0.3	...	0.1	0.4	...
2000 1/.....	0.2	0.5	...	0.2	0.5	...	0.1	0.5	...	0.2	0.5	...
1999 1/.....	0.2	0.5	...	0.2	0.5	...	0.1	0.4	...	0.2	0.5	...
Other diseases of male genital organs (N41-N50)												
2001.....	0.1	0.1	...	0.0	0.1	...	0.1	0.2	...	0.1	0.3	...
2000 1/.....	0.0	0.1	...	0.0	0.1	...	0.1	0.2	...	0.1	0.3	...
1999 1/.....	0.1	0.2	...	0.1	0.1	...	0.1	0.3	...	0.1	0.4	...
Disorders of breast (N60-N64)												
2001.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*
2000 1/.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*
1999 1/.....	0.0	*	0.0	0.0	*	0.0	*	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE <HTTP://WWW.CDC.GOV/NCHS> AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES		MALE												

Disorders of female genital organs (N70-N98)

2001.....	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3	0.2	...	0.4
2000 1/.....	0.1	...	0.2	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3
1999 1/.....	0.1	...	0.2	0.1	...	0.2	0.2	...	0.3	0.3	...	0.4

Inflammatory diseases of female pelvic organs (N70-N76)

2001.....	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1	0.1	...	0.1
2000 1/.....	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1	0.1	...	0.1
1999 1/.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.2

Noninflammatory disorders of female genital tract (N80-N98)

2001.....	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2	0.1	...	0.2
2000 1/.....	0.1	...	0.1	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2
1999 1/.....	0.1	...	0.1	0.1	...	0.1	0.1	...	0.2	0.1	...	0.3

XV. Pregnancy, childbirth and the puerperium (000-099)

2001.....	0.1	...	0.3	0.1	...	0.2	0.3	...	0.6	0.4	...	0.8
2000 1/.....	0.1	...	0.3	0.1	...	0.2	0.3	...	0.6	0.4	...	0.7
1999 1/.....	0.2	...	0.3	0.1	...	0.2	0.3	...	0.6	0.4	...	0.8

Pregnancy with abortive outcome (000-007)

2001.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*
2000 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*
1999 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*

Ectopic pregnancy (000)

2001.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*
2000 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*

Spontaneous abortion (003)

2001.....	*	...	*	*	...	*	*	...	*	*	...	*
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												
Medical abortion (004)															
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
Other abortion (005)															
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
Other and unspecified pregnancy with abortive outcome (001-002,006-007)															
2001.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	
Other direct obstetric deaths (010-092)															
2001.....	0.1	...	0.2	0.1	...	0.2	0.2	...	0.5	0.3	...	0.6			
2000 1/.....	0.1	...	0.2	0.1	...	0.2	0.2	...	0.4	0.2	...	0.5			
1999 1/.....	0.1	...	0.2	0.1	...	0.1	0.3	...	0.5	0.3	...	0.6			
Eclampsia and pre-eclampsia (011,013-016)															
2001.....	0.0	...	0.1	0.0	...	0.0	0.0	...	0.1	0.1	...	0.1			
2000 1/.....	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1	0.1	...	0.1			
1999 1/.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.2			
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)															
2001.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*	...	*	
2000 1/.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*	...	*	
1999 1/.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*	...	*	
Complications predominantly related to the puerperium (085-092)															
2001.....	0.0	...	0.1	0.0	...	0.1	0.1	...	0.2	0.1	...	0.2			
2000 1/.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1			
1999 1/.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.2			

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES		MALE	BOTH SEXES		MALE	BOTH SEXES		MALE	BOTH SEXES		MALE	BOTH SEXES		MALE
Obstetric embolism (088)															
2001.....	0.0	...	0.0	0.0	...	0.0	0.0	...	0.1	0.1	...	0.1	...	0.1	0.1
2000 1/.....	0.0	...	0.0	0.0	...	0.0	0.0	...	0.1	*	...	*	...	*	*
1999 1/.....	0.0	...	0.0	0.0	...	0.0	0.0	...	0.1	*	...	*	...	*	*
Other complications predominately related to the puerperium (085-087,089-092)															
2001.....	0.0	...	0.0	*	...	*	*	...	*	*	*	*
2000 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	*
1999 1/.....	0.0	...	0.0	*	...	*	*	...	*	*	...	*	...	*	*
All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)															
2001.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1	...	0.1	0.2
2000 1/.....	0.0	...	0.1	0.0	...	0.1	0.1	...	0.1	0.1	...	0.1	...	0.1	0.2
1999 1/.....	0.0	...	0.1	0.0	...	0.0	0.1	...	0.1	0.1	...	0.1	...	0.1	0.2
Obstetric death of unspecified cause (095)															
2001.....	*	...	*	*	...	*	*	...	*	*	*	*
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	*
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	*
Other deaths related to pregnancy, childbirth and the puerperium (096-097)															
2001.....	*	...	*	*	...	*	*	...	*	*	*	*
2000 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	*
1999 1/.....	*	...	*	*	...	*	*	...	*	*	...	*	...	*	*
Indirect obstetric deaths (098-099)															
2001.....	0.0	...	0.0	0.0	...	0.0	0.0	...	0.1	0.0	...	0.1	...	0.1	0.1
2000 1/.....	0.0	...	0.0	0.0	...	0.0	0.0	...	0.1	*	...	*	...	*	*
1999 1/.....	0.0	...	0.0	0.0	...	0.0	*	...	*	*	...	*	...	*	*
XVI. Certain conditions originating in the perinatal period (P00-P96)															
2001.....	4.7	5.3	4.2	3.7	4.1	3.3	8.3	9.2	7.4	10.3	11.3	9.1
2000 1/.....	5.1	5.6	4.5	4.0	4.4	3.5	9.2	10.2	8.1	11.3	12.6	9.9
1999 1/.....	5.2	5.7	4.6	4.0	4.4	3.6	9.5	10.5	8.5	11.8	13.1	10.4

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									

Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)

2001.....	1.0	1.1	0.9	0.8	0.9	0.7	1.6	1.8	1.4	2.0	2.2	1.8
2000 1/.....	1.0	1.1	0.9	0.8	0.9	0.7	1.7	1.8	1.5	2.1	2.2	1.9
1999 1/.....	1.0	1.1	0.9	0.8	0.8	0.7	1.8	1.9	1.6	2.2	2.4	2.0

Disorders related to short gestation and low birth weight, not elsewhere classified (P07)

2001.....	1.5	1.6	1.4	1.1	1.2	1.0	3.1	3.3	2.8	3.9	4.2	3.6
2000 1/.....	1.6	1.7	1.5	1.1	1.2	1.1	3.3	3.6	3.1	4.2	4.6	3.8
1999 1/.....	1.6	1.7	1.4	1.1	1.2	1.0	3.4	3.8	3.1	4.3	4.8	3.9

Birth trauma (P10-P15)

2001.....	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	*	0.1	0.1	*
2000 1/.....	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*
1999 1/.....	0.0	*	*	*	*	*	*	*	*	*	*	*

Intrauterine hypoxia and birth asphyxia (P20-P21)

2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.3
2000 1/.....	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.4	0.3
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.4	0.3

Respiratory distress of newborn (P22)

2001.....	0.3	0.4	0.3	0.3	0.3	0.3	0.6	0.7	0.5	0.7	0.9	0.6
2000 1/.....	0.4	0.5	0.3	0.3	0.4	0.2	0.6	0.7	0.5	0.8	0.9	0.6
1999 1/.....	0.4	0.5	0.3	0.3	0.4	0.3	0.7	0.8	0.5	0.9	1.0	0.7

Other respiratory conditions originating in the perinatal period (P23-P28)

2001.....	0.5	0.6	0.5	0.4	0.5	0.4	0.9	1.0	0.8	1.1	1.2	1.0
2000 1/.....	0.6	0.6	0.5	0.5	0.5	0.4	1.0	1.1	0.8	1.2	1.4	1.0
1999 1/.....	0.6	0.7	0.5	0.5	0.6	0.4	1.0	1.1	0.9	1.2	1.4	1.1

Infections specific to the perinatal period (P35-P39)

2001.....	0.3	0.3	0.3	0.2	0.3	0.2	0.5	0.5	0.5	0.6	0.6	0.6
2000 1/.....	0.3	0.4	0.3	0.3	0.3	0.2	0.6	0.6	0.5	0.7	0.8	0.6
1999 1/.....	0.3	0.4	0.3	0.2	0.3	0.2	0.6	0.7	0.5	0.7	0.8	0.6

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									

Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)

2001.....	0.8	1.0	0.7	0.7	0.8	0.6	1.3	1.5	1.1	1.5	1.8	1.3
2000 1/.....	1.0	1.1	0.8	0.8	0.9	0.7	1.6	1.9	1.3	1.9	2.3	1.6
1999 1/.....	1.0	1.1	0.8	0.8	0.9	0.7	1.7	1.8	1.5	2.0	2.2	1.9

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

2001.....	3.6	3.8	3.4	3.6	3.8	3.4	3.6	3.8	3.5	4.1	4.3	3.9
2000 1/.....	3.8	4.1	3.6	3.7	4.0	3.5	3.9	4.2	3.7	4.4	4.8	4.1
1999 1/.....	3.8	3.9	3.6	3.7	3.9	3.6	3.9	4.1	3.7	4.3	4.7	4.1

Anencephaly and similar malformations (Q00)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.1
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1

Spina bifida (Q05)

2001.....	0.0	0.0	0.1	0.0	0.0	0.1	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.1	0.0	0.1	*	*	*	*	*	*

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

2001.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.4
2000 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3
1999 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.4

Congenital malformations of heart (Q20-Q24)

2001.....	1.1	1.2	1.0	1.1	1.2	1.0	1.2	1.2	1.2	1.4	1.4	1.3
2000 1/.....	1.2	1.3	1.2	1.2	1.3	1.1	1.3	1.4	1.2	1.4	1.6	1.3
1999 1/.....	1.3	1.4	1.2	1.3	1.4	1.2	1.3	1.5	1.2	1.5	1.7	1.3

Other congenital malformations of circulatory system (Q25-Q28)

2001.....	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
2000 1/.....	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.4
1999 1/.....	0.3	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.4

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									

Congenital malformations of respiratory system (Q30-Q34)

2001.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.2
2000 1/.....	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.4	0.3	0.4	0.3
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.4	0.2

Other congenital malformations and deformations (Q10-Q18,Q35-Q89)

2001.....	0.9	1.0	0.8	0.9	1.0	0.8	0.9	1.1	0.8	1.0	1.2	0.9
2000 1/.....	0.9	1.1	0.8	0.9	1.0	0.8	0.9	1.1	0.8	1.1	1.2	0.9
1999 1/.....	0.9	1.1	0.9	0.9	1.0	0.8	0.9	1.1	0.9	1.1	1.2	0.9

Down's syndrome (Q90)

2001.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
2000 1/.....	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.2	0.2	0.2	0.2
1999 1/.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

2001.....	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4
2000 1/.....	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5
1999 1/.....	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.4	0.4	0.3	0.5

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

2001.....	11.3	12.7	9.8	11.0	12.2	9.5	12.7	14.6	10.8	15.1	17.7	12.8
2000 1/.....	11.4	13.1	9.7	11.0	12.6	9.3	13.4	15.9	11.3	16.5	19.7	13.6
1999 1/.....	9.7	11.0	8.4	9.1	10.1	7.9	12.6	15.2	10.4	15.4	19.1	12.4

Senility (R54)

2001.....	1.5	1.2	1.6	1.5	1.3	1.6	1.1	1.0	1.2	1.3	1.3	1.3
2000 1/.....	1.4	1.1	1.5	1.4	1.2	1.5	1.2	0.8	1.3	1.4	1.0	1.5
1999 1/.....	1.2	1.0	1.2	1.2	1.0	1.3	0.9	0.9	0.9	1.0	1.1	1.0

Ill-defined and unknown causes of mortality (R95-R99)

2001.....	7.1	8.7	5.6	6.8	8.4	5.3	8.1	9.9	6.5	9.5	11.6	7.7
2000 1/.....	7.4	9.1	5.8	7.0	8.7	5.4	8.8	11.2	6.9	10.9	13.9	8.4
1999 1/.....	6.0	7.3	4.8	5.5	6.6	4.4	8.3	10.7	6.4	10.1	13.3	7.6

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Sudden infant death syndrome (R95)												
2001.....	0.8	0.9	0.6	0.6	0.7	0.5	1.3	1.4	1.1	1.6	1.7	1.4
2000 1/.....	0.9	1.1	0.8	0.7	0.9	0.6	1.5	1.8	1.3	1.9	2.1	1.6
1999 1/.....	1.0	1.1	0.8	0.8	0.9	0.7	1.6	1.8	1.4	1.9	2.1	1.7
Other ill-defined and unknown causes of mortality (R96-R99)												
2001.....	6.3	7.8	4.9	6.2	7.6	4.8	6.8	8.4	5.4	7.9	9.8	6.3
2000 1/.....	6.5	8.1	5.0	6.3	7.8	4.8	7.3	9.4	5.6	9.0	11.8	6.8
1999 1/.....	5.1	6.2	4.0	4.7	5.7	3.7	6.7	8.9	5.0	8.2	11.1	6.0
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
2001.....	2.8	2.8	2.7	2.6	2.6	2.6	3.5	3.8	3.2	4.3	4.8	3.8
2000 1/.....	2.7	2.8	2.5	2.6	2.7	2.4	3.4	3.8	3.1	4.2	4.8	3.7
1999 1/.....	2.6	2.7	2.4	2.4	2.5	2.3	3.5	3.7	3.2	4.2	4.8	3.8
XX. External causes of mortality (*U01-*U03,V01-Y89)												
2001 2/.....	56.0	82.3	31.8	55.0	80.0	31.8	58.4	90.5	30.6	68.1	108.3	33.7
2000 1/.....	53.7	79.3	30.5	52.4	76.3	30.4	58.1	90.8	30.0	67.8	108.9	32.9
1999 1/.....	54.2	79.8	31.0	52.5	76.6	30.7	60.1	93.4	31.7	69.7	111.4	34.6
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
2001.....	35.7	50.2	22.5	36.0	50.3	22.8	33.4	49.3	20.3	37.6	56.9	22.0
2000 1/.....	34.9	49.3	22.0	35.1	49.2	22.2	33.7	50.3	20.0	37.7	58.1	21.3
1999 1/.....	35.3	49.8	22.3	35.2	49.3	22.4	35.5	52.9	21.4	40.1	61.3	23.1
Transport accidents (V01-V99,Y85)												
2001.....	16.6	23.7	9.8	16.8	24.0	10.0	15.3	22.7	8.9	16.5	25.5	8.9
2000 1/.....	16.6	23.7	10.0	16.8	23.8	10.2	15.5	23.3	8.9	16.7	26.1	8.7
1999 1/.....	16.6	23.6	10.2	16.8	23.6	10.4	16.0	23.7	9.5	17.1	26.5	9.5
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
2001.....	0.2	0.3	0.1	0.2	0.3	0.0	0.2	0.4	*	0.2	0.4	*
2000 1/.....	0.2	0.3	0.1	0.2	0.3	0.0	0.2	0.4	*	0.3	0.5	*
1999 1/.....	0.2	0.3	0.0	0.2	0.3	0.1	0.2	0.4	*	0.2	0.4	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			
	BOTH SEXES		MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
2001.....	15.3	21.8	9.3	15.6	22.0	9.5	14.2	20.9	8.4	15.4	23.5	8.5	
2000 1/.....	15.4	21.7	9.5	15.6	21.8	9.8	14.6	21.7	8.5	15.7	24.4	8.4	
1999 1/.....	15.2	21.3	9.6	15.3	21.3	9.7	14.7	21.5	9.0	15.9	24.3	9.0	
Pedestrian involved in collision with motor vehicle (V02-V04)													
2001.....	1.3	1.8	0.7	1.2	1.7	0.6	1.7	2.5	1.0	1.8	2.7	1.0	
2000 1/.....	1.2	1.8	0.7	1.1	1.6	0.7	1.7	2.8	0.9	1.8	3.0	0.9	
1999 1/.....	1.2	1.8	0.7	1.1	1.6	0.7	1.9	2.9	1.0	1.9	3.2	0.9	
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)													
2001.....	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.5	*	0.3	0.6	*	
2000 1/.....	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.5	*	0.3	0.6	*	
1999 1/.....	0.2	0.4	0.1	0.2	0.4	0.1	0.3	0.5	*	0.3	0.5	*	
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)													
2001.....	1.1	1.9	0.2	1.2	2.0	0.2	0.7	1.4	0.1	0.8	1.7	*	
2000 1/.....	1.0	1.8	0.2	1.0	1.9	0.2	0.7	1.4	*	0.9	1.8	*	
1999 1/.....	0.8	1.5	0.2	0.9	1.6	0.2	0.6	1.2	*	0.7	1.5	*	
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)													
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*	
2000 1/.....	0.1	0.1	0.0	0.1	0.2	0.0	0.1	0.1	*	0.1	*	*	
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	
Motorcyclist involved in collision with railway train (V25,V35)													
2001.....	*	*	*	*	*	*	*	*	*	*	*	*	
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)													
2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*	
2000 1/.....	0.1	0.1	0.0	0.1	0.2	0.0	0.1	0.1	*	0.1	*	*	
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
2001.....	0.3	0.5	0.2	0.3	0.5	0.1	0.4	0.6	0.3	0.4	0.6	0.2
2000 1/.....	0.4	0.5	0.2	0.4	0.5	0.2	0.3	0.5	0.2	0.3	0.5	0.2
1999 1/.....	0.6	0.9	0.3	0.6	0.9	0.3	0.6	0.9	0.3	0.5	0.8	0.2
Water transport accidents (V90-V94)												
2001.....	0.2	0.4	0.1	0.2	0.4	0.1	0.1	0.3	*	0.2	0.4	*
2000 1/.....	0.2	0.4	0.0	0.2	0.4	0.0	0.2	0.4	*	0.2	0.4	*
1999 1/.....	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	*	0.3	0.5	*
Air and space transport accidents (V95-V97)												
2001.....	0.3	0.5	0.2	0.4	0.6	0.2	0.1	0.1	*	0.1	*	*
2000 1/.....	0.3	0.5	0.1	0.3	0.5	0.1	0.1	0.1	*	*	*	*
1999 1/.....	0.2	0.4	0.1	0.3	0.5	0.1	0.0	0.1	*	*	*	*
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
2001.....	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.1	0.3	0.5	*
2000 1/.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*	0.2	0.4	*
1999 1/.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	0.1	0.3	0.4	0.1
Falls (W00-W19)												
2001.....	5.3	7.2	3.9	5.6	7.5	4.1	3.4	5.2	2.1	3.3	5.1	2.0
2000 1/.....	4.8	6.6	3.6	5.0	6.8	3.7	3.1	4.7	2.0	2.9	4.6	1.8
1999 1/.....	4.8	6.6	3.5	5.0	6.8	3.7	3.5	5.3	2.2	3.4	5.3	2.1
Fall on same level (W00-W09,W18)												
2001.....	1.4	1.8	1.1	1.5	1.9	1.2	0.9	1.2	0.7	0.7	1.0	0.5
2000 1/.....	1.2	1.5	1.0	1.2	1.5	1.0	0.7	1.0	0.5	0.5	0.7	0.4
1999 1/.....	0.8	1.1	0.7	0.8	1.1	0.7	0.6	0.8	0.5	0.6	0.8	0.4
Fall from one level to another (W10-W17)												
2001.....	1.2	2.0	0.5	1.2	2.0	0.6	0.8	1.5	0.3	0.9	1.5	0.3
2000 1/.....	1.0	1.8	0.4	1.1	1.9	0.5	0.7	1.3	0.2	0.7	1.3	0.3
1999 1/.....	1.1	1.9	0.5	1.2	1.9	0.6	0.8	1.4	0.3	0.8	1.3	0.3

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE

[HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK			
	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	FEMALE	BOTH SEXES		MALE	
	2001	2.7	3.5	2.2	2.8	3.6	2.3	1.7	2.6	1.2	1.7	2.6	1.2	2.9	3.7	2.3
Unspecified fall (W19)	2001	2.7	3.5	2.2	2.8	3.6	2.3	1.7	2.6	1.2	1.7	2.6	1.2	2.9	3.7	2.3
	2000 1/	2.6	3.3	2.1	2.7	3.4	2.2	1.7	2.5	1.2	1.7	2.5	1.2	2.5	3.1	1.4
	1999 1/	2.9	3.7	2.3	3.0	3.8	2.4	2.0	3.1	1.4	2.1	3.1	1.4	3.1	3.1	1.4
Accidental discharge of firearms (W32-W34)	2001	0.3	0.5	0.1	0.3	0.5	0.1	0.2	0.4	*	0.3	0.5	*	0.3	0.5	*
	2000 1/	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.6	0.1	0.3	0.6	0.1
	1999 1/	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.6	0.1	0.4	0.7	0.1	0.4	0.7	0.1
Accidental explosion (W39-W40)	2001	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*	*	*	*	*	*	*
	2000 1/	0.1	0.1	0.0	0.1	0.1	0.0	0.0	*	*	*	*	*	*	*	*
	1999 1/	0.1	0.1	0.0	0.1	0.1	0.0	*	*	*	*	*	*	*	*	*
Accidental drowning and submersion (W65-W74)	2001	1.1	1.8	0.5	1.1	1.7	0.5	1.4	2.4	0.5	1.5	2.6	0.5	1.3	2.0	0.5
	2000 1/	1.2	2.0	0.5	1.2	1.8	0.5	1.5	2.5	0.6	1.5	2.6	0.6	1.2	2.0	0.6
	1999 1/	1.3	2.0	0.5	1.2	1.9	0.5	1.5	2.7	0.5	1.7	3.0	0.5	1.7	2.7	0.5
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	2001	1.5	1.9	1.2	1.4	1.8	1.2	1.8	2.5	1.4	2.2	3.1	1.6	1.4	2.1	1.7
	2000 1/	1.6	2.0	1.3	1.5	1.9	1.3	1.8	2.5	1.4	2.1	2.9	1.7	1.4	2.1	1.7
	1999 1/	1.4	1.8	1.2	1.4	1.7	1.2	1.8	2.3	1.4	2.2	2.9	1.7	1.4	2.2	1.7
Other accidental and unspecified threats to breathing (W75-W77,W81-W84)	2001	0.5	0.6	0.3	0.5	0.6	0.3	0.5	0.7	0.4	0.6	0.8	0.5	0.5	0.6	0.5
	2000 1/	0.5	0.7	0.3	0.5	0.7	0.3	0.5	0.7	0.4	0.6	0.8	0.4	0.5	0.6	0.4
	1999 1/	0.6	0.8	0.4	0.6	0.8	0.4	0.6	0.9	0.4	0.7	1.0	0.5	0.6	0.7	0.5
Accidental exposure to electric current (W85-W87)	2001	0.1	0.3	*	0.2	0.3	*	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*
	2000 1/	0.1	0.3	0.0	0.2	0.3	*	0.0	0.1	*	0.1	0.2	*	0.1	0.2	*
	1999 1/	0.2	0.3	0.0	0.2	0.3	0.0	0.1	0.2	*	0.1	0.2	*	0.1	0.2	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												

Accidental exposure to radiation (W88-W91)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*

Accidental exposure to smoke, fire and flames (X00-X09)

2001.....	1.2	1.5	0.9	1.0	1.3	0.7	2.1	2.9	1.5	2.7	3.8	1.9
2000 1/.....	1.2	1.6	0.9	1.0	1.3	0.7	2.4	3.1	1.8	3.0	4.2	2.2
1999 1/.....	1.2	1.6	0.9	1.0	1.4	0.7	2.4	3.1	1.8	3.0	4.0	2.3

Accidental contact with heat and hot substances (X10-X19)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	*	*	0.1	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	*	0.1	*	*

Lightning (X33)

2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.1	*	0.0	0.1	*	*	*	*	*	*	*

Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)

2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

Cataclysmic storm and flood (X37-X38)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.1	0.1	0.1	0.1	0.0	0.1	0.1	*	*	0.1	*	*

Accidental poisoning and exposure to noxious substances (X40-X49)

2001.....	4.9	7.0	2.9	5.0	7.1	2.9	4.9	7.2	2.9	6.3	9.5	3.7
2000 1/.....	4.5	6.6	2.5	4.5	6.6	2.5	4.7	7.0	2.6	6.0	9.3	3.3
1999 1/.....	4.4	6.4	2.3	4.3	6.3	2.3	4.9	7.5	2.6	6.2	9.8	3.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												

2001.....	4.6	6.5	2.7	4.7	6.5	2.7	4.4	6.5	2.6	5.9	8.7	3.3
2000 1/.....	4.1	6.0	2.3	4.2	6.0	2.3	4.3	6.4	2.4	5.6	8.6	3.1
1999 1/.....	4.0	5.9	2.1	3.9	5.8	2.1	4.4	6.8	2.3	5.8	9.0	2.9

Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)

2001.....	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1
2000 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.3	*
1999 1/.....	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.3	*

Accidental poisoning by and exposure to other gases and vapors (X47)

2001.....	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.2	0.3	0.5	0.2
2000 1/.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.4	0.1
1999 1/.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.4	0.1

All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)

2001.....	4.0	5.3	2.9	4.1	5.4	2.9	3.5	4.9	2.4	3.9	5.5	2.7
2000 1/.....	4.0	5.3	2.8	4.0	5.3	2.8	3.6	5.6	2.1	4.0	6.5	2.3
1999 1/.....	4.4	5.9	3.1	4.4	5.8	3.1	4.2	6.4	2.6	4.9	7.7	3.0

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

2001 2/.....	10.7	18.2	4.0	11.7	19.6	4.5	5.7	9.9	2.1	5.5	9.8	1.8
2000 1/.....	10.4	17.7	4.0	11.3	19.1	4.3	5.8	10.0	2.1	5.5	10.0	1.8
1999 1/.....	10.5	17.8	4.0	11.3	19.0	4.4	5.9	10.3	2.2	5.6	10.3	1.6

Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)

2001.....	1.3	1.2	1.3	1.4	1.4	1.4	0.5	0.5	0.5	0.5	0.4	0.5
2000 1/.....	1.2	1.1	1.2	1.3	1.3	1.4	0.5	0.5	0.4	0.5	0.5	0.4
1999 1/.....	1.1	1.1	1.2	1.3	1.2	1.3	0.4	0.4	0.4	0.4	0.5	0.4

Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)

2001.....	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	*	*	*
2000 1/.....	0.1	0.1	0.0	0.1	0.1	0.0	0.0	*	*	*	*	*
1999 1/.....	0.1	0.1	0.0	0.1	0.1	0.0	0.0	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									

Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)

2001.....	0.5	0.8	0.2	0.6	0.9	0.3	0.1	0.2	*	0.1	0.2	*
2000 1/.....	0.5	0.8	0.2	0.6	0.9	0.3	0.1	0.2	*	0.1	0.2	*
1999 1/.....	0.5	0.9	0.3	0.6	1.0	0.3	0.1	0.2	*	0.1	0.2	*

Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)

2001.....	2.2	3.7	0.7	2.3	3.9	0.7	1.6	2.7	0.6	1.1	2.0	0.3
2000 1/.....	2.0	3.4	0.7	2.1	3.6	0.7	1.6	2.7	0.6	1.2	2.1	0.3
1999 1/.....	1.9	3.3	0.6	2.0	3.4	0.7	1.5	2.6	0.6	1.0	2.0	0.2

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

2001.....	5.9	11.0	1.4	6.5	12.0	1.6	2.7	5.2	0.6	3.1	6.0	0.6
2000 1/.....	5.9	11.0	1.5	6.5	11.9	1.6	2.8	5.3	0.6	3.1	6.0	0.7
1999 1/.....	6.0	11.1	1.5	6.5	12.0	1.7	3.0	5.8	0.6	3.3	6.5	0.6

Intentional self-harm (suicide) by jumping from a high place (X80)

2001.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
2000 1/.....	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	*
1999 1/.....	0.3	0.4	0.1	0.3	0.4	0.1	0.3	0.4	0.2	0.2	0.3	*

Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,Y87.0)

2001 2/.....	0.6	0.9	0.3	0.6	1.0	0.3	0.5	0.8	0.2	0.5	0.7	0.3
2000 1/.....	0.6	0.9	0.3	0.6	0.9	0.3	0.5	0.8	0.3	0.5	0.8	0.2
1999 1/.....	0.6	0.9	0.3	0.6	0.9	0.3	0.5	0.8	0.3	0.5	0.8	0.3

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

2001 2/.....	7.1	10.8	3.3	4.9	7.1	2.6	16.2	27.0	6.1	21.2	36.2	7.4
2000 1/.....	5.9	9.0	2.8	3.6	5.2	2.1	15.5	26.2	5.6	20.5	35.4	7.1
1999 1/.....	6.0	9.1	2.9	3.8	5.4	2.1	15.4	25.6	6.0	20.1	34.2	7.3

Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (*U01.6-*U01.7,X85-X90)

2001.....	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Assault (homicide) by hanging, strangulation and suffocation (X91)												
2001.....	0.2	0.2	0.3	0.2	0.1	0.2	0.5	0.3	0.6	0.6	0.4	0.7
2000 1/.....	0.2	0.2	0.3	0.2	0.1	0.2	0.4	0.2	0.6	0.6	0.3	0.8
1999 1/.....	0.2	0.2	0.3	0.2	0.2	0.2	0.5	0.3	0.7	0.6	0.4	0.8
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)												
2001.....	3.9	6.6	1.3	2.2	3.5	1.0	10.8	19.7	2.3	14.8	27.4	3.0
2000 1/.....	3.8	6.3	1.2	2.1	3.2	0.9	10.7	19.6	2.4	14.6	26.9	3.1
1999 1/.....	3.8	6.3	1.3	2.1	3.3	1.0	10.7	19.2	2.8	14.3	26.1	3.5
Assault (homicide) by sharp object (X99)												
2001.....	0.7	1.0	0.4	0.5	0.6	0.3	1.6	2.4	1.0	2.1	3.1	1.2
2000 1/.....	0.6	0.9	0.4	0.5	0.7	0.3	1.5	2.3	0.9	2.0	2.9	1.1
1999 1/.....	0.7	1.0	0.4	0.4	0.6	0.3	1.6	2.6	0.8	2.0	3.3	1.0
Assault (homicide) by blunt object (Y00)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.2	0.3	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.2	0.1	0.2	0.3	0.1
1999 1/.....	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.1	0.2	0.3	0.1
Assault (homicide) by bodily force (Y04)												
2001.....	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	0.1	0.2	*
2000 1/.....	0.1	0.1	*	0.0	0.1	*	0.1	0.2	*	0.1	0.2	*
1999 1/.....	0.1	0.1	0.0	0.0	0.1	*	0.1	0.2	*	0.2	0.3	*
Sexual assault (homicide) by bodily force (Y05)												
2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
2001.....	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.1	0.2	0.2	0.2	0.2
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.0	0.2	0.2	0.2	0.2	0.2	0.2
1999 1/.....	0.1	0.1	0.1	0.0	0.1	0.0	0.2	0.2	0.2	0.2	0.2	0.2

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://WWW.CDC.GOV/NCHS) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992) AND YEAR	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES		MALE									
	BOTH SEXES	MALE	FEMALE									
Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
2001 2/.....	2.0	2.8	1.1	1.8	2.6	1.0	2.9	4.0	1.9	3.2	4.6	2.1
2000 1/.....	1.0	1.4	0.7	0.7	0.9	0.5	2.3	3.4	1.3	2.9	4.4	1.7
1999 1/.....	1.0	1.3	0.7	0.8	1.0	0.5	2.0	2.9	1.3	2.5	3.6	1.5
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
2001.....	1.5	2.0	0.9	1.5	2.0	1.0	1.4	2.2	0.7	1.8	2.9	0.9
2000 1/.....	1.3	1.9	0.8	1.3	1.8	0.8	1.6	2.4	0.8	1.9	3.0	1.0
1999 1/.....	1.4	2.0	0.9	1.4	1.8	0.9	1.6	2.6	0.8	2.0	3.2	0.9
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
2001.....	1.0	1.3	0.7	1.0	1.3	0.7	0.8	1.3	0.4	1.1	1.8	0.5
2000 1/.....	0.8	1.2	0.6	0.9	1.2	0.6	0.8	1.2	0.5	1.1	1.6	0.6
1999 1/.....	0.9	1.2	0.6	0.9	1.1	0.6	0.9	1.4	0.5	1.2	1.9	0.6
Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent (Y15-Y16,Y18-Y19)												
2001.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)												
2001.....	0.0	0.1	*	0.0	0.1	*	*	*	*	*	*	*
2000 1/.....	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*
Discharge of firearms, undetermined intent (Y22-Y24)												
2001.....	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	*	0.1	0.2	*
2000 1/.....	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	*	0.1	0.3	*
1999 1/.....	0.1	0.2	0.0	0.1	0.2	0.0	0.2	0.2	*	0.2	0.3	*
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
2001.....	0.0	0.0	0.0	0.0	0.0	*	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER		
	BOTH SEXES	MALE	FEMALE									
ALL other and unspecified events of undetermined intent and their sequelae (Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9)												

All other and unspecified events of undetermined intent and their sequelae (Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9)

2001.....	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.7	0.2	0.5	0.8	0.3
2000 1/.....	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.8	0.3	0.6	1.0	0.3
1999 1/.....	0.3	0.5	0.2	0.3	0.4	0.2	0.5	0.8	0.2	0.5	0.9	0.2

Legal intervention (Y35, Y89.0)

2001.....	0.1	0.3	*	0.1	0.2	*	0.2	0.4	*	0.2	0.5	*
2000 1/.....	0.1	0.2	*	0.1	0.2	*	0.2	0.5	*	0.3	0.6	*
1999 1/.....	0.1	0.3	*	0.1	0.2	*	0.3	0.6	*	0.3	0.7	*

Legal execution (Y35.5)

2001.....	0.0	0.1	*	0.0	0.0	*	0.0	*	*	*	*	*
2000 1/.....	0.0	0.0	*	0.0	0.0	*	0.1	0.1	*	0.1	0.2	*
1999 1/.....	0.0	0.1	*	0.0	0.1	*	0.1	0.1	*	0.1	0.2	*

Other legal intervention and their sequelae (Y35.0-Y35.4, Y35.6-Y35.7, Y89.0)

2001.....	0.1	0.2	*	0.1	0.2	*	0.1	0.3	*	0.2	0.4	*
2000 1/.....	0.1	0.2	*	0.1	0.2	*	0.2	0.3	*	0.2	0.4	*
1999 1/.....	0.1	0.2	*	0.1	0.2	*	0.2	0.4	*	0.2	0.5	*

Operations of war and their sequelae (Y36, Y89.1)

2001.....	*	*	*	*	*	*	*	*	*	*	*	*
2000 1/.....	*	*	*	*	*	*	*	*	*	*	*	*
1999 1/.....	0.0	0.0	*	0.0	0.0	*	*	*	*	*	*	*

Complications of medical and surgical care (Y40-Y84, Y88)

2001.....	1.1	1.1	1.0	1.0	1.1	0.9	1.6	1.8	1.4	2.0	2.3	1.7
2000 1/.....	1.1	1.2	1.0	1.0	1.2	0.9	1.5	1.5	1.5	1.9	1.9	1.9
1999 1/.....	1.0	1.1	0.9	1.0	1.1	0.9	1.5	1.7	1.4	1.8	2.0	1.7

Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae (Y40-Y59, Y88.0)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.2
1999 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*

[AGE-ADJUSTED DEATH RATES PER 100,000 U.S. STANDARD POPULATION IN SPECIFIED GROUP. RATES ARE BASED ON POPULATIONS ENUMERATED AS OF APRIL 1 FOR 2000 AND ESTIMATED AS OF JULY 1 FOR ALL OTHER YEARS. FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON
THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992)
AND YEAR

	ALL RACES			WHITE			TOTAL			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE												

Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)

2001.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	*
2000 1/.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	*	0.2
1999 1/.....	0.1	0.1	0.1	0.0	0.1	0.1	0.1	*	0.1	0.1	*	0.2

Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)

2001.....	0.9	1.0	0.9	0.8	0.9	0.8	1.3	1.5	1.2	1.6	2.0	1.4
2000 1/.....	0.9	1.1	0.9	0.9	1.0	0.8	1.3	1.3	1.3	1.6	1.7	1.6
1999 1/.....	0.9	1.0	0.8	0.8	0.9	0.8	1.3	1.5	1.2	1.5	1.7	1.4

* FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ RATES ARE REVISED AND MAY DIFFER FROM RATES PREVIOUSLY PUBLISHED; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

2/ FIGURES INCLUDE SEPTEMBER 11, 2001 RELATED DEATHS FOR WHICH DEATH CERTIFICATES WERE FILED AS OF 10/24/02; SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001."

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.